



DUE TO MARKET VOLATILITY,
ADVERTISED PRICES ARE SUBJECT
TO CHANGE WITHOUT NOTICE.



CREATE YOUR ACCOUNT AND

ORDER TODAY

SHOP.BERGEYSTRUCK.COM
EASY. FAST. ACCURATE.
ALWAYS OPEN

RAKES

From heavy-duty, professional-grade rakes to dependable everyday options, these rakes deliver strength, comfort, and performance in every sweep. Whether you're clearing a backyard or tackling a big job site, you'll have the tools you need to make quick work of fall cleanup - season after season.

RAZORBACK **UnionTools** **TRUE TEMPER** **TRUE TEMPER**

AME63141	AME64309	AME2604512	AME2913912
Razor-Back 15-Tine Bow Rake	Union Tools 24" Poly Leaf Rake	True Temper 22" Steel Leaf Rake	True Temper 30" Clog-Free Leaf Rake
\$35.39^{ea}	\$8.89^{ea}	\$21.99^{ea}	\$22.89^{ea}

LED LIGHTING

STOP / TURN / TAIL LIGHTS



- 4.41" diameter
- 1.75" deep
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern

TL 4050P	Red	\$15.39^{ea}
TL 4050A3	Amber	\$17.79^{ea}

FIND SIMILAR PRODUCT ON PAGES 8-9



- 6.5" W x 2.25" H x 1.75" D
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern

TL 6050P	Red	\$18.59^{ea}
TL 6050A3	Amber	\$21.39^{ea}

BACK-UP LIGHTS



- 24 LED diodes
- Extremely resistant to shock and vibration
- Lower current draw

TL 4060C3	4" Round	\$48.09^{ea}
TL 6060C3	6" Oval	\$47.99^{ea}

3-IN-1 ELECTRICAL AND AIR HOSE ASSEMBLIES

- Spiral wrapped for a clean, organized look
- Outstanding kink and abrasion resistance
- Cable jacketing is chemical and abrasion resistant
- Includes hanging clamp and clip for easy installation (part numbers **PHI55008** and **PHI17173**)

PHILIPS



WEATHER-TITE™

The Weather-Tite™ seal resists water and contaminants from entering the electrical system



QCP™ (QUICK-CONNECT PLUG)

Reduces maintenance time with a 2-minute field replaceable plug-in cartridge



ZINC DIE-CAST

Heavy duty reinforced zinc die-cast housing for durability



M7 (MOLDED 7-WAY)

Unbreakable, corrosion resistant, and completely molded to the cable to prevent water intrusion at the back of the plug



RECOMMENDED FOR ABS APPLICATIONS

PHI302170	Weather-Tite™ Plugs, 15' Length	\$203.89^{ea}
PHI302154	QCP™ Plugs, 12' Length	\$269.49^{ea}
PHI302174	QCP™ Plugs, 15' Length	\$276.29^{ea}
PHI302151	Zinc Plugs, 12' Length	\$225.99^{ea}
PHI302171	Zinc Plugs, 15' Length	\$253.79^{ea}
PHI301157	M7 Plugs, 12' Length	\$241.89^{ea}
PHI301177	M7 Plugs, 15' Length	\$227.29^{ea}

OTHER CONFIGURATIONS MAY BE AVAILABLE

MUFFLERS

HEAVY DUTY MUFFLER


- Inlet / Outlet: 5"
- Diameter: 10"
- Length: 51"
- Manufactured from aluminized steel for durability
- Engineered to reduce in-cab and exterior engine noise



WAE22920 **\$113.19^{ea}**

HEAVY DUTY MUFFLER


- Inlet / Outlet: 4"
- Diameter: 9"
- Length: 51"
- Manufactured from aluminized steel for durability
- Engineered to reduce in-cab and exterior engine noise



WAE22936 **\$126.09^{ea}**

HEAVY DUTY MUFFLER

- Inlet / Outlet: 5"
- Diameter: 9"
- Length: 26"
- Made from quality materials for longer life



WAE22771 **\$112.99^{ea}**

FIND SIMILAR PRODUCT ON PAGE 2

MUFFLERS

ROUND STYLE 1 MUFFLER


- Inlet: 4.02"
- Outlet: 5.03"
- Diameter: 9.01"
- Overall Length: 50.98"



DN M090781 **\$285.19^{ea}**

ROUND STYLE 1 MUFFLER

- Inlet: 5.03"
- Outlet: 5.03"
- Diameter: 10.06"
- Overall Length: 51"



DN M100465 **\$181.79^{ea}**

FIND SIMILAR PRODUCT ON PAGE 2

EXHAUST BELLOWS

- 300 series stainless steel construction
- Zero leak rate exhaust bellows, including torsional bellows (when necessary)
- Up to 10 times the life expectancy of conventional flex hose assemblies
- Kits include everything needed for proper installation



FIND SIMILAR
PRODUCT ON
PAGE 2

RC FB3396	For Volvo, OE #: 21533396, 5" x 12.4"	\$385.29^{ea}
RC FB8532	For Mack / Volvo, 5" x 15.9", Torsional	\$339.09^{ea}
RC FB8534	For Mack / Volvo, 4" x 17.7"	\$255.49^{ea}
RC FB8536	For Mack / Volvo, 4" x 17.7", Torsional	\$262.79^{ea}





POWER GENERATION

OE FILTRATION

Don't just settle for parts that fit. Insist on Volvo Genuine Parts, which are engineered to work precisely with your engine for dependable performance. Our replacement and service parts are built to last, to consistently deliver the quality you need to maximize uptime and vehicle value.



23658092	Oil Filter	\$20.21^{ea}
23151592	Oil Filter	\$19.05^{ea}
21707132	Oil Filter	\$32.36^{ea}
23920469	Fuel Filter	\$42.03^{ea}
21715813	Air Filter	\$80.13^{ea}
20435801	Filter	\$20.05^{ea}
23044511	Fuel Filter	\$41.57^{ea}
24225154	Fuel Filter	\$49.59^{ea}
21937327	Coolant Filter	\$14.26^{ea}
22480372	Fuel Filter	\$26.68^{ea}
24283117	Oil Filter Kit	\$37.10^{ea}
21380475	Fuel Filter	\$34.50^{ea}
21737499	Fuel Filter Insert	\$36.43^{ea}
21937313	Coolant Filter	\$21.19^{ea}

To deliver the performance, power and reliability you expect, Mack trucks are engineered to the highest specifications to meet exacting standards. Choosing Pure Mack parts to replace your filtration and lubrication components means your standards are as high as ours. Pure Mack filters are part of an integrated system of components that work together seamlessly. Mack uses only the finest available filter media, adhesives and seals to give your truck superior filtration.



23658111	Oil Filter	\$20.00^{ea}
23920471	Fuel Filter	\$42.41^{ea}
23155587	Oil Filter	\$19.05^{ea}
21707135	Oil Filter	\$32.36^{ea}
24225156	Fuel Filter	\$49.58^{ea}
20972295	Fuel Filter	\$44.09^{ea}
21937298	Coolant Filter	\$14.26^{ea}
21380521	Fuel Filter	\$34.50^{ea}
21075041	Oil Filter	\$34.09^{ea}
23381558	Filter	\$100.62^{ea}
21937331	Coolant Filter	\$21.19^{ea}
85114535	Filter Kit	\$136.58^{ea}
24490626	Filter Kit	\$155.29^{ea}
85136709	Filter Kit	\$19.09^{ea}

Your Isuzu truck works as hard as you do. The only job it can't do is fix itself. Whether you choose the time-tested Isuzu quality of true OEM or price-savvy FleetValue parts, you're making the right choice by sticking with Isuzu. Offering a comprehensive inventory of parts that will keep your Isuzu truck on the road.



2946542000	Oil Filter	\$24.60^{ea}
29007N0000	Air Filter	\$55.34^{ea}
8976282570	Filter Gasket	\$46.39^{ea}
2946541000	Oil Filter	\$23.88^{ea}
1876170150	Urea Pump Filter	\$69.50^{ea}
294561P8A0	Auto. Trans. Filter	\$9.61^{ea}
8127370860	Oil Filter	\$8.87^{ea}
2945611010	Fuel Filter	\$16.13^{ea}

Hino Genuine Parts are engineered utilizing the highest quality materials and specifications. Each part is perfectly matched to work optimal together and to the precise specifications of the engine, transmission, body and vocation. Insisting on Hino Genuine Parts ensures long term performance backed by the industry leading Hino Trucks warranty.



15613E0110	Oil Filter Set	\$33.69^{ea}
23304E0020	Fuel Filter	\$23.65^{ea}
23304EV023	Fuel Filter Set	\$60.15^{ea}
2330478091	Fuel Filter Set	\$38.18^{ea}
BG-1001272970	Filter	\$3.96^{ea}
23304EV360	Fuel Filter Set	\$51.56^{ea}
178013440A	Air Cleaner Filter	\$78.54^{ea}
FS1994290	Fuel Filter	\$30.48^{ea}
S156072051	Oil Filter	\$44.75^{ea}
2330478380	Fuel Filter Set	\$67.14^{ea}
S17K0E0020	Urea Pump Filter	\$73.97^{ea}
15613EV140	Oil Filter	\$116.34^{ea}

EXHAUST COMPONENTS



HEAVY-DUTY FLEX TUBING

- Heavy-duty thickness, ranging from .012" to .018"
- Galvanized is made for applications up to 600°F
- Stainless steel is made for applications over 1,200°F



WAE40010	3.5" Galvanized	\$6.49^{ft}
WAE40011	4" Galvanized	\$7.79^{ft}
WAE40012	5" Galvanized	\$9.89^{ft}
WAE40022	4" Stainless Steel	\$13.69^{ft}
WAE40023	5" Stainless Steel	\$15.29^{ft}

HEAVY-DUTY U-BOLT CLAMPS

- Manufactured from premium steel for greater strength and durability



WAE35335	2" U-Bolt Clamp	\$1.69^{ea}
WAE35337	2.5" U-Bolt Clamp	\$1.89^{ea}
WAE35794	3" U-Bolt Clamp	\$3.39^{ea}
WAE35753	3.5" U-Bolt Clamp	\$4.09^{ea}
WAE35752	4" U-Bolt Clamp	\$4.69^{ea}
WAE35775	5" U-Bolt Clamp	\$6.69^{ea}
WAE35795	6" U-Bolt Clamp	\$9.49^{ea}

OTHER EXHAUST COMPONENTS
ALSO IN STOCK

EXHAUST COMPONENTS

STEPPED PREFORMED SEALCLAMP™

- Easy to install, no need to weld or disconnect your exhaust system
- The wide band conforms to the shape of the straight or flex pipe and seals without distorting the pipe

DN X007784	4", Stainless Steel	\$14.79^{ea}
DN X007785	5", Stainless Steel	\$15.29^{ea}
DN X007824	4", Aluminized	\$13.59^{ea}

FLAT BAND SEALCLAMP™

- For overlapping I.D. to O.D. slotted joints and flex tube
- Reduces noise and exhaust leaks

DN X004482	4", Stainless Steel	\$13.39^{ea}
-------------------	---------------------	-----------------------------



Donaldson
FILTRATION SOLUTIONS

TORCITE® CLAMP

DN J009607	5", Aluminized	\$16.39^{ea}
-------------------	----------------	-----------------------------

OTHER EXHAUST COMPONENTS
ALSO IN STOCK




DN M001865	5"	\$29.79^{ea}
-------------------	----	-----------------------------

STANDARD U-BOLT CLAMPS

- Single, round band
- Made of cold rolled steel
- Assembly torque: 15 ft-lbs

DN P206410	4", Steel	\$6.89^{ea}
DN P206411	5", Steel	\$7.49^{ea}



DONALDSON FILTRATION

Donaldson filters help keep your engines and equipment running smoothly. Today's diesel engines need to maintain high-performance levels to remain compliant with stringent emissions regulations and modern biodiesel blends. Fuel filtration plays a key role, with current high-pressure common rail fuel injectors operating at pressures up to 2,000 - 3,100 bar / 30,000 - 45,000 psi. Clean, dry fuel helps minimize expensive repairs and unplanned downtime.



DN P550425	Lube Filter, Bypass	\$28.69^{ea}
DN P551838	Fuel Filter, Water Separator	\$44.59^{ea}
DN DBF5967	Fuel Filter, Secondary	\$40.49^{ea}
DN P550851	Fuel Filter, Water Separator	\$29.49^{ea}
DN P550529	Fuel Filter	\$23.69^{ea}
DN P559000	Lube Filter, Full Flow	\$55.19^{ea}
DN DBA5114	Air Filter, Primary Radial Seal	\$93.39^{ea}
DN P537876	Air Filter, Primary Radial Seal	\$78.59^{ea}
DN P553191	Lube Filter, Full Flow	\$14.09^{ea}
DN P582021	Lube Filter, Full Flow	\$24.19^{ea}
DN P550519	Lube Filter, Full Flow	\$25.29^{ea}
DN P550467	Fuel Filter, Water Separator	\$22.69^{ea}
DN P550735	Fuel Filter, Water Separator	\$71.09^{ea}
DN P550335	Lube Filter, Full Flow	\$7.59^{ea}

FLEETGUARD FILTRATION

Whether powering an 18-wheeler down the highway or a bulldozer on a construction site, your engines are exposed to dirt, rust, water and other contaminants. Quality filtration can keep all that bad stuff from causing significant damage to your engine — and your business. Fleetguard fuel filters and processors deliver best-in-class performance using proprietary media like StrataPore® and NanoNet® that meets or exceeds OEM quality and performance.



FG LF667	Lube Filter Q	\$16.09^{ea}
FG FF5507	Fuel Filter	\$26.79^{ea}
FG LF3654	Oil Filter, Cellulose	\$34.09^{ea}
FG LF14000NN	Oil Filter Combo	\$63.69^{ea}
FG FF63054NN	Fuel Filter	\$55.69^{ea}
FG LF3970	Lube Filter Q	\$17.29^{ea}
FG FS19729	Fuel Filter, Standard Size	\$23.89^{ea}
FG LF3973	Oil Filter, Cellulose	\$23.49^{ea}
FG FF5776	Fuel Filter	\$73.59^{ea}
FG FF5825NN	Fuel Filter	\$88.09^{ea}
FG FF42128NN	Fuel Filter	\$46.99^{ea}
FG LF3675	Oil Filter, Cellulose	\$28.69^{ea}
FG FF5369W	Fuel Filter	\$15.59^{ea}
FG LF17502	Oil Filter, Cellulose	\$34.09^{ea}

BALDWIN FILTRATION

SUPERIOR PROTECTION TO KEEP YOUR EQUIPMENT RUNNING

Baldwin Filters offers an extensive selection of lube, air, fuel, hydraulic, coolant and transmission filters for the trucking, construction, mining, agricultural, marine and mobile power generation industries.

- Every phase of production is designed to ensure the highest quality and performance standards

- When you need quality coverage, Baldwin has the widest range of filtration products in the mobile aftermarket

- With an extensive distribution network, you can trust Baldwin has the filters you need, when and where you need them

We have the coverage, quality, service and dependability you need. With an in-depth understanding of the mobile engine industry and a relentless focus on innovative filtration technologies, Baldwin has a full range of filters to keep equipment running at peak performance.



COOLANT RESERVOIRS

These replacement engine coolant reservoirs are manufactured from quality materials to withstand the stresses of underhood heat and engine vibration. They are engineered and manufactured to match the fit and function of the original part.

COOLANT RESERVOIRS ARE
AVAILABLE FOR A VARIETY
OF MAKES / MODELS



NON-PRESSURIZED

Mack CV, 2007 - 2004
GU7, 2008
GU8, 2008



DOR-603-5501 **\$41.99^{ea}**

PRESSURIZED

Mack CV, 2007 - 2002
GU7, 2008
GU8, 2008



DOR-603-5502 **\$50.59^{ea}**

PRESSURIZED

Mack 2018 - 2008
Volvo 2018 - 2008



DOR-603-5505 **\$142.69^{ea}**

DPF AND DOC KITS

- Matches OE performance
- Comes with a 3-year warranty
- Manufactured according to OE technology
- In-house coating and manufacturing



All DPF Kits include
Gaskets & Clamp,
an \$80+ value!

DPF KIT FOR MACK MP8 / VOLVO D13

OE #: 22810503
DIA.: 13.22"
HEIGHT: 13.30"



DX-82010 **\$1,275.19^{ea}**

DPF KIT FOR MACK MP7 / VOLVO D11

OE #: 22761989
DIA.: 14.05"
HEIGHT: 12.59"



DX-82013 **\$1,442.29^{ea}**

DPF KIT FOR VOLVO / MACK MP7

OE #: 21395825
DIA.: 13.30"
HEIGHT: 13.30"



DX-82014 **\$1,979.59^{ea}**

DOC KIT FOR MACK MP7, MP8, MP10 VOLVO D11, D13, D16

OE #: 21850645
DIA.: 12.99"
HEIGHT: 12.99"



DX-82018 **\$1,879.29^{ea}**

DPF KIT FOR MACK MP7, MP8 VOLVO D11, D13

OE #: 21716414
DIA.: 12.60"
HEIGHT: 13.54"



DX-8A1002 **\$1,947.49^{ea}**

DPF KIT FOR VOLVO / MACK MP7

OE #: 20869859
DIA.: 13.17"
HEIGHT: 13.17"



DX-82008 **\$1,357.59^{ea}**



POWER GENERATION




OE BELTS



24171422	Belt	\$52.28^{ea}
23961766	V-Ribbed Belt	\$44.13^{ea}
23857789	Belt	\$43.94^{ea}
23962277	V-Ribbed Belt	\$100.53^{ea}
23961868	V-Ribbed Belt	\$69.09^{ea}
23961724	V-Ribbed Belt	\$34.92^{ea}
24201752	V-Ribbed Belt	\$254.13^{ea}



23961764	V-Ribbed Belt	\$52.92^{ea}
24171417	Belt	\$43.48^{ea}
23961760	V-Ribbed Belt	\$52.36^{ea}
23717270	Belt	\$44.91^{ea}
23961828	V-Ribbed Belt	\$69.84^{ea}
24058597	Belt	\$56.59^{ea}



8981638210	Belt - A/C Comp.	\$38.18^{ea}
8982254600	Fan Belt	\$40.14^{ea}



SZ91045354	V-Belt - A/C Comp.	\$33.92^{ea}
SZ91045377	V-Belt	\$98.99^{ea}
SZ91049324	V-Belt for Fan/Alt.	\$74.86^{ea}

AFTERMARKET BELTS

FLEETRANNER® MICRO-V® BELTS

Engineered to save your fleet money and lost service time. Patented EPDM construction with distinct green overcord built specifically for more durability, superior flexibility, stability, and longer life on heavy-duty drives. Haul more. Drive longer.

FleetRunner



- Oil and heat-resistant
- Superior resistance to the high heat conditions of modern diesel engines
- Heavy-duty construction resists cracking and wear
- Unique undercord notch pattern offers increased flexibility for smaller diameter pulleys
- Advanced blend of EPDM rubber technology withstands the modern threats of deterioration from increased exposure to oil, ozone and water-based coolants

**HEAVY-DUTY
BELT TENSIONER
ALSO AVAILABLE**

GAH9510HD	51.00" / 1,295mm Effective Length	0.510" / 13mm Top Width	Notched	\$31.59^{ea}
GAH9590HD	59.04" / 1,500mm Effective Length	0.510" / 13mm Top Width	Notched	\$23.79^{ea}
GAHK060525HD	52.76" / 1,340mm Effective Length	0.807" / 20mm Top Width	6 Ribs	\$30.69^{ea}
GAHK080575HD	57.51" / 1,461mm Effective Length	1.087" / 28mm Top Width	8 Ribs	\$60.69^{ea}
GAHK080630HD	63.04" / 1,601mm Effective Length	1.087" / 28mm Top Width	8 Ribs	\$58.49^{ea}
GAHK120858HD	85.78" / 2,179mm Effective Length	1.647" / 42mm Top Width	12 Ribs	\$95.79^{ea}
GAHK080991HD	99.08" / 2,517mm Effective Length	1.087" / 28mm Top Width	8 Ribs	\$58.99^{ea}

WATER PUMPS

Water pumps come complete with hub, gaskets and 100% new bearings. A unitized type seal and stainless steel impellers are installed for increased water flow, and completed assemblies are vacuum tested.

REMACK®




85021352	E7 E-TECH™ and ASET™ Engine applications with 149.6mm (5.88") pulley	\$277.23^{ea}
316GC551M2X	E7 E-TECH™ Engines (302GC475M, 4101M pulley)	\$337.24^{ea}
85000786	D12C, D12D	\$529.83^{ea}

CYLINDER HEADS

REMACK®

All remanufactured cylinder heads are completely disassembled and cleaned. The castings are Magnaflux®-inspected and pressure-tested. State-of-the-art computer controlled machining centers machine all surfaces to reman and/or OEM specifications to ensure REMACK® quality. All valves and valve seats are inspected and machined. All remanufactured cylinder heads are complete with valves, valve guide seals (where applicable), heavy-duty valve springs, rotators and keepers. New valve guides and rotators are installed 100%. Completed assemblies are vacuum-tested to ensure proper seal.



85013948	MP8 All EPA17 and EPA21 OBD20/21 VGT & EPA17 OBD20 Turbo Compound Engines	\$4,111.49^{ea}
85020889	MP8 EPA14 Engines	\$4,111.49^{ea}
85022656	MP8 EPA07 / EPA10 Engines, Conical (SS) type injector cup applications	\$4,137.99^{ea}
85013082	MP7 EPA04 / EPA07	\$1,176.49^{ea}
85022656	D13F and D13H EPA07 / EPA10 Engines, Conical (SS) type injector cup applications	\$4,137.99^{ea}
85020889	D13J EPA14 Engines	\$4,111.49^{ea}
85000191	D12D Engines	\$3,584.99^{ea}

INJECTOR KITS

- Kit includes:
- 3 remanufactured pumping injectors
 - 3 remanufactured nozzles
 - 6 sleeves
 - 6 o-rings
 - 6 flange screws
 - Adjusting screws and nuts

REMACK®



85144516	D11J, MP7 EPA14/OBD15/OBD16 conical injector kit	\$2,557.99^{ea}
85144518	D13J, MP8 EPA14/OBD15/OBD16 conical injector kit	\$2,583.49^{ea}
85143381	D11J, MP7 EPA10/OBD13 enhanced with coated NCV (Needle Control Valve)	\$3,037.59^{ea}
85143382	D13H, MP8 EPA10/OBD13 enhanced unit injectors w/coated NCV (Needle Control Valve)	\$3,007.59^{ea}

TURBOS

REMACK and Volvo Reman Turbochargers meet the OE's strictest standards to ensure the most durable and reliable products. Choosing genuine REMACK and Volvo Reman quality will provide maximum uptime and engine performance. 1-Year / Unlimited Mile Warranty.

REMACK®



85151095	MP8 VGT EPA10 through EPA17	\$3,576.59^{ea}
85151093	MP7 VGT EPA 10 through EPA 17	\$3,576.59^{ea}
85151099	MP7 VGT EPA07	\$3,623.89^{ea}
85151101	MP8 VGT EPA07	\$3,714.49^{ea}
85151094	D13H, D13J, EPA 10, EPA17	\$3,576.59^{ea}
85152096	D13M EPA17 / OBD18 / OBD19	\$1,629.49^{ea}
85151092	D11H, D11J, EPA 10, EPA 17	\$3,587.59^{ea}
85151100	D13F, EPA07	\$3,415.19^{ea}

OIL PUMPS

Pressure relief plungers are replaced with 100% new. Cover plates are resurfaced, when necessary, to maintain flatness and surface finish.



REMACK®

315GC466MX	E7 E-TECH™ and ASET™ Engines (front or rear sump with increased volume internal gearing)	\$833.22^{ea}
315GC459M2X	E7 PLN Engines (front or rear sump oil pan, increased ratio 12 tooth driven gear on oil pump shaft); Requires Auxiliary shaft 453GC381AM or 389M	\$699.08^{ea}
315GC467MX	E7 PLN Engines (front or rear sump with increased volume internal gearing); Replaces 315GC460MX, 460M2X (13-tooth driven gear on oil pump shaft); Requires Auxiliary shaft 453GC379AM or 435M	\$773.41^{ea}


POWER TRANSMISSION

TRANSMISSIONS

The Mack mDRIVE™ transmission is an automated manual transmission originally built for Mack Pinnacle™ tractors. This 12-speed, two-pedal transmission not only delivers smooth shifts every time, but also maximizes driver comfort, payload and fuel economy.

Automated manual transmission
12-Speed, two-pedal
Direct Drive and Overdrive offerings
1,920 lb.-ft. torque capacity


mDRIVE™



85023331	iShift Short Transmission ATO2512C / ATO2612D Applications Services 3190598, 3190801, 3190967, 85003222, 85020023, 85131805, 85020581, 85013433, 85013434 (Variants - TC-MWOR, URETARD, PSS-SING)	\$3,723.84^{ea}
85020581	iShift Complete Transmission ATO2512C / ATO2612D Applications Services 3190598, 3190801, 3190967, 85003222, 85020023, 85131805, (Variants - TC-MWOR, URETARD, PSS-SING)	\$10,193.67^{ea}

CARRIERS

REMACK carriers are fully disassembled to their most basic components and remanufactured to meet the original factory specification. Units are completely disassembled, cleaned, and remanufactured. Bearings, races, seals, shims, bull hear nuts and bolts are replaced with 100% new. Remanufactured to bring all dimensions back to OEM specifications for size and finish on all housing bores and wear surfaces. All inspections are done with calibrated gauging. All parts and housings are machined back to OEM specifications. REMACK carriers are assembled by trained factory technicians with 100% Pure Mack parts, and backed by a two-year, unlimited mileage warranty* (95/96 models: six-month, unlimited mileage warranty).



REMACK®

REMACK parts are as good as new, engineered specifically for your vehicle to deliver maximum performance, reliability, and increased uptime while keeping your truck 100% Mack.

11KH5499P4R	CRD93, 4.42 Ratio	\$2,707.19^{ea}
11KH5495P4R	CRDPC92LO, 4.42 Ratio	\$3,977.19^{ea}

EASY PEDAL ADVANTAGE CLUTCHES

The Eaton Easy Pedal Advantage® is North America's No. 1 clutch, offering more protection, less maintenance, and maximum uptime and performance. With the use of assist springs, the Easy-Pedal™ design reduces pedal effort by as much as 50%, increasing driver satisfaction and ease of operation.

- 50,000 mile lube interval for line-haul application
- Steel-backed bushings resist wear for increased service life
- Premium damper reduces drivetrain torsionals
- Proprietary facing material to provide longer disc facing life



SP 30892525	7 Spring, Manual, 2050 ft/lb, 6 paddle	\$1,295.69^{ea}
SP 30892551	9 Spring, Manual, 1650 ft/lb, 4 paddle	\$1,299.89^{ea}
SP 30892568	9 Spring, Manual, 1850 ft/lb, 4 paddle	\$1,398.29^{ea}
SP 30892582	7 Spring, Manual, 1700 ft/lb, 4 paddle	\$1,019.29^{ea}
SP 30892591	9 Spring, Manual, 1650 ft/lb, 6 paddle	\$1,406.79^{ea}
SP 30892598	9 Spring, Manual, 1850 ft/lb, 6 paddle	\$1,514.39^{ea}




POWER TRANSMISSION

U-JOINTS

Spicer® commercial vehicle u-joints are engineered to ensure peak performance. On the road or in the lab, they consistently outperform the competition. With these commercial vehicle u-joints, you'll experience the Spicer® advantage of:

- Better performance
- Longer life
- Lower operating costs




SP 5103X	1000SG Series	\$20.99ea	SP 5675X	1710 Series, HR Style	\$69.39ea
SP 5153X	1310 Series, OSR Style	\$15.09ea	SP 5676X	1810 Series, HR Style	\$114.89ea
SP 5170X	1000 Series, PTO	\$17.29ea	SP 5677X	1760 Series, HR Style	\$80.79ea
SP 5178X	1350 Series, OSR Style	\$19.99ea	SP SPL1704X	Spicer Life Series, OE	\$100.09ea
SP 5280X	1710 Series, BP Style	\$53.69ea	SP SPL2503X	Spicer Life Series, OE	\$155.69ea
SP 5281X	1810 Series, BP Style	\$91.29ea			

NTN | BOWER BEARINGS

THE POWER OF BOWER

Bower OE and aftermarket bearings are recognized as among the very best in the industry, with a list of quality product innovations and firsts that is long, distinguished and growing. Bower products are shipped from Bower plants located in Macomb, Illinois and Hamilton, Alabama, and enjoy a reputation for reliability and high performance in the no-nonsense world of big-rigs and other hardworking vehicles.



NTNSET401	580/572 Industry Standard R Drive Axle - Outer Bearing	\$53.99ea
NTNSET402	582/572 Potential R Drive Axle - Outer Bearing (Mack Special Radius)	\$60.79ea
NTNSET403	594A/592A Industry Standard Drive Axle - Inner Bearing	\$64.19ea
NTNSET413	HM212049/HM212011 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing	\$44.19ea
NTNSET414	HM218248/HM218210 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing	\$66.39ea
NTNSET421	HM516449A/HM516410 Rear Axle - Inner Bearing (Mack)	\$93.39ea
NTNSET422	HM516449C/HM516410 Rear Axle - Inner Bearing (Mack)	\$88.49ea
NTNSET423	6461A/6420 Industry Standard FL Steer Axle - Inner Bearing	\$145.39ea
NTNSET424	555S/552A Industry Standard FL Steer Axle - Outer Bearing	\$74.19ea
NTNSET426	47679/47620 Rear Axle - Outer Bearing (Mack)	\$75.59ea

TIMKEN BEARINGS

Keep Your Trucks Rolling with Timken MileMate Bearing Sets

Engineered for superior performance and increased reliability, Timken® MileMate® matched cup and cone bearing sets help increase uptime. Precisely matched sets enable easier installation and bearings will distribute loads more evenly, extending bearing life.



TRBSET401	580/572 Industry Standard R Drive Axle - Outer Bearing	\$61.49ea
TRBSET402	582/572 Potential R Drive Axle - Outer Bearing (Mack Special Radius)	\$73.99ea
TRBSET403	594A/592A Industry Standard R Drive Axle - Inner Bearing	\$73.19ea
TRBSET406	3782/3720 Industry Standard FF Steer Axle - Outer Bearing	\$34.49ea
TRBSET413	HM212049/HM212011 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing	\$49.99ea
TRBSET414	HM218248/HM218210 FF Steer Axle - Inner Bearing / N Trailer Axle - Outer Bearing	\$75.79ea
TRBSET415	HM518445/HM218210 Industry Standard P Trailer Axle - Inner and Outer Bearing	\$86.69ea
TRBSET421	HM516449A/HM516410 Rear Axle - Inner Bearing (Mack)	\$115.89ea
TRBSET422	HM516449C/HM516410 Rear Axle - Inner Bearing (Mack)	\$109.09ea
TRBSET423	6461A/6420 Industry Standard FL Steer Axle - Inner Bearing	\$169.49ea
TRBSET424	555S/552A Industry Standard FL Steer Axle - Outer Bearing	\$86.49ea
TRBSET426	47679/47620 Rear Axle - Outer Bearing (Mack)	\$91.99ea

FAN CLUTCH

FAN CLUTCHES AND COMPONENTS

Horton has been pioneering engine cooling solutions for over 65 years. You'll find their fans, fan drives and clutches on heavy-, medium-, and light-duty trucks, buses, RVs, refuse vehicles and more. And on-highway products have particular needs that Horton can solve and solve well...like reduced noise, fuel efficiency and long-term durability. No one does it better than Horton.



HOR9908504	K32 Dual Pilot Clutch, 2.56" and 5.00" Fan Pilot	\$488.59ea
HOR991451	HT650 Fan Clutch for Mack E6 / E7 / EN-300, Cummins LT 10, 5.00" Fan Pilot	\$1,031.39ea
HOR992660251	26" Fan Blade, 2.56" Diameter, 9 Blades, Clockwise	\$256.09ea
HOR79A9644	DM Advantage On / Off Fan Clutch for Mack MP8 / Volvo D13, 2.56", Reman	\$956.19ea

REMAN DM ADVANTAGE TWO-SPEED FAN CLUTCHES

DM Advantage Two-Speed Fan Clutches alternate between eddy current and spring-actuated cooling. While using eddy current, the fan clutch turns the fan at a lower speed, which reduces operating noise, increases available horsepower for auxiliary systems and minimizes radiator abrasion from dust and debris. It spring-actuates when more cooling is needed, running the fan at full input speed. It also provides faster engine warm-ups in cold weather.




HOR79A8177	DM Advantage Two-Speed Fan Clutch for Mack, 2.56"	\$1,375.19ea
HOR79A94942	DM Advantage Two-Speed Fan Clutch for Mack CV / Granite (02-07), 2.56"	\$1,375.19ea
HOR79A94952	DM Advantage Two-Speed Fan Clutch for Mack CV / Granite (02-07), 2.56"	\$1,375.19ea
HOR79A94982	DM Advantage Two-Speed Fan Clutch for Mack MR / LE (02-07), 2.56"	\$1,375.19ea

CARRIER BEARINGS

THE ATRO DIFFERENCE

Atro maintains 11 proprietary formulations, Atro Polys, each having unique physical properties to optimize performance. Whether absorbing a shock or transferring energy, Atro is engineered to function based on the demands of the part. Atro provides polyurethane parts and solutions for heavy trucks.



ATRCR0067121	1710 Series Carrier Bearing	\$76.49ea
Replaces: 210121-1X: Autocar; International, Kenworth, Mack, Meritor, Spicer, Volvo Blue Bird: 00108533 Euclid: E4001776 Ford: C8HA-4800B; D4TZ-4800G Gaff: 40075 General Motors: 2406989; 15616328 Mack: 35MUA31; 35MUA32P1 Newstar: S-1980 Spicer: KCB121		
ATRCR0067825	1810 Series Carrier Bearing	\$95.19ea
Replaces 210661-1X: Arvin Meritor, Autocar, Kenworth, Mack, Peterbilt, Spicer, Volvo CB2106611XSA: Arvin Meritor, Autocar, International, Kenworth, Peterbilt, Volvo Ford: D4TZ4800J Freightliner: SP2106611X Gaff: 40074, 40197 GMC: 15512196 International: 283071C93 Mack: 203SJ13 Spicer: 5003323		

CENTER BEARING

Instead of just replacing your center bearings, why not install a better idea? Meritor's industry-leading center bearing design assures optimum alignment to the driveshaft under all operating conditions. The Meritor Self-Aligning Center Bearing provides better bottom line results and is ideal for the most popular heavy-duty truck and tractor applications.



TDACB2106611XSA	Driveline Series 176N, 17N (Heavy Duty), 18N, 85WB, 92N	\$83.09ea
------------------------	---	------------------

STEMCO® SEALS

DISCOVER® XR WHEEL SEAL

Made with a high-quality temperature-resistant material and featuring multi-labyrinth sealing for long-life applications, these high-performance seals have been equipped with patented GlideLock™ technology.

GUARDIAN® HP HUB SEAL

The Guardian® HP incorporates the best features for preventing the leading causes of seal-life degradation – contamination ingress and heat generation.

VOYAGER® WHEEL SEAL

The Voyager® wheel seal is designed for regional route trucks, city traffic and coach applications. Rugged design, simple installation and proven performance make Voyager the right choice for everyday stop-and-go traffic environments.



STM3730423	Discover XR Wheel Seal, Trailer Axle	\$47.19ea	
STM3730443	Discover XR Wheel Seal, Trailer Axle	\$46.19ea	
STM3730123	Voyager Wheel Seal, Trailer Axle	\$35.09ea	
STM3730143	Voyager Wheel Seal, Trailer Axle (SET405/413)	\$34.89ea	
STM3830136	Voyager Wheel Seal, Steer Axle (SET413/406)	\$34.69ea	
STM3830164	Voyager Wheel Seal, Steer Axle (SET423/424)	\$47.19ea	
STM3930103	Voyager Wheel Seal, Drive Axle (SET401/425)	\$45.89ea	
STM3930104	Voyager Wheel Seal, Drive Axle (SET421/426)	\$49.09ea	
STM3930173	Voyager Wheel Seal, Drive Axle (SET403/401)	\$46.89ea	
STM3080864	Guardian HP Wheel Seal, Steer Axle (SET423/424)	\$62.59ea	
STM3080836	Guardian HP Wheel Seal, Steer Axle (SET413/406)	\$51.69ea	
STM3070723	Guardian HP Wheel Seal, Trailer Axle (SET415)	\$44.29ea	

SKF SEALS

SCOTSEAL CLASSIC

Unitized one piece seal designed to provide excellent sealing and contamination exclusion. A unitized, one piece design offers excellent sealing life in a broad range of operating conditions. This seal uses a sealing element that is assembled between a metal outer and inner case. To extend service life, the three-lip sealing element contains a pre-lubed, spring-loaded primary sealing lip.

SCOTSEAL PLUSXL

Rubber unitized one piece hand installable seal designed to provide excellent sealing and contamination exclusion. A rubber unitized, one-piece hand installable design seal offers maximum sealing life under virtually all operating conditions. This seal uses an advanced HNR material that provides high temperature capability, excellent wear resistance, and broad compatibility with synthetic lubricants.



SCOTSEAL CLASSIC	SCOTSEAL PLUSXL	CHR28758	Classic, FC Steer Axle	\$28.49ea
		CHR35058	PlusXL, FF Steer Axle (SET413/406)	\$40.09ea
		CHR35066	Classic, FF Steer Axle (SET413/406)	\$35.99ea
		CHR38780	Classic, Drive Axle	\$44.19ea
		CHR40136	Classic, Trailer Axle	\$33.69ea
		CHR42623	Classic, Trailer Axle	\$30.19ea
		CHR42627XT	PlusXL, TP Trailer Axle (SET415)	\$34.09ea
		CHR42672	Classic, Drive Axle (SET421/426)	\$41.19ea
		CHR43761XT	Plus XL, FL Steer Axle (SET423/424)	\$47.79ea
		CHR43764	Classic, FL Steer Axle (SET423/424)	\$42.89ea
		CHR45099	Classic, Drive Axle (SET401/425)	\$43.29ea
		CHR46300	PlusXL, TN Trailer Axle	\$35.59ea
		CHR46305	Classic, TN Trailer Axle (SET405/413)	\$30.49ea
		CHR47691	PlusXL, Rear Drive Axle (SET403/401)	\$49.59ea
		CHR47697	Classic, Drive Axle (SET403/401) DRIVE	\$41.29ea

FLYWHEELS



Size: 15" / 381mm
Bore: 10" / 254mm
Mounting Bolt Holes: 6
Spring Clutch: 9 Spring Clutch

Ring Gear Size: 20" x 508mm
Ring Gear Teeth: 118
Weight: 82lbs / 37.19kg

RC FLY530GB3145BM **\$378.99ea**

FLYWHEEL RESURFACING IS AVAILABLE AT SELECT LOCATIONS



Size: 15" / 381mm
Bore: 10" / 254mm
Mounting Bolt Holes: 6
Spring Clutch: 9 Spring Clutch

Ring Gear Size: 20" x 508mm
Ring Gear Teeth: 117
Weight: 82lbs / 37.19kg

RC FLY530GB3170 **\$413.99ea**





PRE-FABRICATED CABLES

STUD-TO-STUD BATTERY HARNESSSES

- 8.5" long, made with 2/0 gauge cable
- Stackable lugs have anti-rotational teeth for a solid bite
- Provides easier tight space routing and cold weather flexibility

GRO849305	Red, Positive	\$23.99ea
GRO849304	Black, Negative	\$23.99ea

BRAIDED GROUND STRAPS

- Corrosion resistant tin-plating
- Ideal for light to medium duty, marine, and automotive applications
- Lug-to-lug style

GRO849559	13" Long, 4 ga., 3/8"	\$8.59ea
GRO849465	18" Long, 4 ga., 3/8"	\$13.09ea

COPPER BATTERY CABLE

- Ideal for battery, starter, and ground connections
- Made from 100% copper cable
- Type SGR
- Meets all SAE code J1127 specifications
- Rated at 60V
- Operating Temp.: -40°F to 221°F
- EPDM insulation / protection

6 GAUGE Outside Diameter: 0.310"		4 GAUGE Outside Diameter: 0.375"		2 GAUGE Outside Diameter: 0.438"		1 GAUGE Outside Diameter: 0.480"	
GRO825722	Black	GRO825714	Black	GRO825711	Black	GRO825708	Black
GRO826722	Red	GRO826717	Red	GRO826718	Red	GRO826719	Red
YOUR CHOICE		YOUR CHOICE		YOUR CHOICE		YOUR CHOICE	
\$1.59ft		\$2.09ft		\$3.39ft		\$3.79ft	
1/0 GAUGE Outside Diameter: 0.525"		2/0 GAUGE Outside Diameter: 0.575"		3/0 GAUGE Outside Diameter: 0.700"		4/0 GAUGE Outside Diameter: 0.726"	
GRO825705	Black	GRO825702	Black	GRO825723	Black	GRO825743	Black
GRO826720	Red	GRO826721	Red	GRO826723	Red	GRO826743	Red
YOUR CHOICE		YOUR CHOICE		YOUR CHOICE		YOUR CHOICE	
\$4.99ft		\$5.39ft		\$7.39ft		\$9.19ft	
6 GAUGE	4 GAUGE	2 GAUGE	1 GAUGE	1/0 GAUGE	2/0 GAUGE	3/0 GAUGE	4/0 GAUGE



VISUALIZE YOUR CABLE SIZE!

The circles above are scale representations of the battery cable sizes advertised.

COPPER LUGS

- Can be crimped or soldered
- Seamless 100% copper tube construction
- Flared barrel for easy installation of cables

GAUGE	1/4" STUD	5/16" STUD	3/8" STUD	1/2" STUD	
8	-	GRO829538	GRO829428	GRO829539	
6	GRO829522	GRO829512	GRO829429	GRO829513	
4	GRO829515	GRO829516	GRO829430	GRO829529	
2	GRO829517	GRO829518	GRO829431	GRO829530	
1	GRO829519	GRO829531	GRO829432	GRO829520	
1/0	GRO829545	GRO829532	GRO829433	GRO829434	
2/0	-	GRO829536	GRO829435	GRO829436	
3/0	-	-	GRO829437	GRO829438	
4/0	-	-	GRO829439	GRO829440	
GRO829435	2/0 Gauge, 3/8" Stud	\$1.59ea	GRO829516	4 Gauge, 5/16" Stud	\$1.09ea
GRO829430	4 Gauge, 3/8" Stud	\$0.99ea	GRO829433	1/0 Gauge, 3/8" Stud	\$1.49ea
GRO829515	4 Gauge, 1/4" Stud	\$1.09ea	GRO829431	2 Gauge, 3/8" Stud	\$1.19ea

STARTER / GROUND COPPER LUGS

- MagnaLugs® are superior to standard tube lugs
- Wider pad for better electrical contact
- Thicker pad for greater strength and conductivity
- Made of 100% copper, tin-plated twice as thick as industry standards



GAUGE	3/8" STUD	1/2" STUD
4	GRO849200	GRO849201
1/0	GRO849203	GRO849204
2/0	GRO849206	GRO849207
3/0	GRO849208	GRO849209
GRO849200	4 Gauge, 3/8" Stud	\$2.79ea
GRO849206	2/0 Gauge, 3/8" Stud	\$5.29ea

BATTERY TERMINAL ASSORTMENTS



TRUCK PARTS & INDUSTRIAL SUPPLIES



1/4"	5/16"	3/8"	1/2"
8	8	8	8
6	6	6	6
4	4	4	4
2	2	2	2
1	1	1	1
1/0	1/0	1/0	1/0
2/0	2/0	2/0	2/0
3/0	3/0	3/0	3/0
4/0	4/0	4/0	4/0

60 PC. CABLE LUGS AND SPLICES, AUTO/LIGHT TRUCK

- Cable connectors: 1 - 4 ga.
- Copper cable lugs: 1 - 6 ga., 1/4" - 3/8" stud

ASST4300	\$123.09ea
-----------------	-------------------

1/4"	5/16"	3/8"	1/2"
8	8	8	8
6	6	6	6
4	4	4	4
2	2	2	2
1	1	1	1
1/0	1/0	1/0	1/0
2/0	2/0	2/0	2/0
3/0	3/0	3/0	3/0
4/0	4/0	4/0	4/0

48 PC. CABLE LUGS AND SPLICES, HEAVY-DUTY TRUCK

- Cable connectors: 1 - 4 ga.
- Copper cable lugs: 1 - 4 ga., 3/8" - 1/2" stud

ASST4400	\$147.79ea
-----------------	-------------------

1/4"	5/16"	3/8"	1/2"
8	8	8	8
6	6	6	6
4	4	4	4
2	2	2	2
1	1	1	1
1/0	1/0	1/0	1/0
2/0	2/0	2/0	2/0
3/0	3/0	3/0	3/0
4/0	4/0	4/0	4/0

30 PC. BATTERY TERMINALS, AUTO/LIGHT TRUCK

- Battery terminals: 1 - 4 ga
- Terminal bolts
- Post adapters
- Universal terminals

ASST4500	\$167.49ea
-----------------	-------------------

1/4"	5/16"	3/8"	1/2"
8	8	8	8
6	6	6	6
4	4	4	4
2	2	2	2
1	1	1	1
1/0	1/0	1/0	1/0
2/0	2/0	2/0	2/0
3/0	3/0	3/0	3/0
4/0	4/0	4/0	4/0

34 PC. BATTERY TERMINALS, HEAVY-DUTY TRUCK

- Battery terminals: 1/0 - 4/0
- Cable lugs: 2/0 ga., 5/16" and 3/8"

ASST4600	\$248.99ea
-----------------	-------------------

BATTERY CARE

BATTERY CLEANER, 5.75 OZ.

- Cleans all types of storage batteries and attachments in power supply systems
- Penetrates and removes corrosion, dirt and grime instantly
- Spray it on and wash corrosion off
- Works in just 3 minutes

BATTERY PROTECTOR & SEALER, 5 OZ.

- Seals and coats battery terminals eliminating the formation of acid salt corrosion
- Prevents terminal corrosion and battery drain
- Increases battery life and improves electrical flow
- Spray on batteries, battery terminals, and cables, in or out of storage

BATTERY CARE

BATTERY CLEANER, 11 OZ.

- Specially designed to protect battery terminals from corrosion, a leading cause of hard starting and battery failure. Provides a lead-free soft protective coating. Ideal for battery posts, terminals, hold-downs, and casings.

BATTERY TERMINAL PROTECTOR, 7.5 OZ.

- Shields battery terminals from corrosion, a major cause of hard starting and battery failure
- Helps extend overall lifespan of battery
- Ensures consistent, reliable starting performance
- Reduces need for frequent battery replacements and maintenance

BATTERY HOLD DOWN SET

- For use with battery tray
- Sold as pair
- Hardware included
- "J" style bend eliminates need to shift or remove battery
- Long thread accommodates all crossbar / frame designs

GRO849286	\$4.19ea
------------------	-----------------



LOC80369	\$2.89ea
-----------------	-----------------



LOC80370	\$3.59ea
-----------------	-----------------



SIL05023	\$3.09ea
-----------------	-----------------



SIL05046	\$5.09ea
-----------------	-----------------



39MT STARTERS

The 39MT is a gear reduction starter ideal for heavy duty truck and off highway applications. The drive has an electrical soft start that rotates the pinion for proper ring gear engagement before cranking, minimizing tooth abutment related damage. The sealed solid link solenoid eliminates contact welding in low system voltage situations, providing enhanced reliability. Sealed noseless configuration minimizes debris accumulation and contamination reducing maintenance expense.

VOLVO D13, 2013 - NEWER

Voltage: 12
Pinion Teeth: 12
Pinion Pitch: 8/10
Solenoid Position: 251
Rotation: Clockwise

DR 61003775	\$354.69ea
--------------------	-------------------



MACK MP8, 2013 - NEWER

Voltage: 12
Pinion Teeth: 12
Pinion Pitch: 8/10
Solenoid Position: 251
Rotation: Clockwise

DR 61003776	\$354.69ea
--------------------	-------------------



CAT C15, CUMMINS ISX / ISM, DETROIT S60

Voltage: 12
Pinion Teeth: 11
Pinion Pitch: 6/8
Solenoid Position: 082
Rotation: Clockwise

DR 8200308	\$396.09ea
-------------------	-------------------



VOLVO D11, MACK MP7

Voltage: 12
Pinion Teeth: 11
Pinion Pitch: 8/10
Solenoid Position: 243
Rotation: Clockwise

DR 8200468	\$394.99ea
-------------------	-------------------



ALTERNATORS

24SI | J180 HINGE MOUNT

Voltage: 12
Rated Output: 160 amps
B+ Output Terminal: 5/16
R Terminal: #10
I Terminal: #10

DR 8600310	\$216.79ea
-------------------	-------------------



24SI | PAD MOUNT

Voltage: 12
Rated Output: 160 amps
B+ Output Terminal: 5/16
R Terminal: #10
I Terminal: #10

DR 8600889	\$216.79ea
-------------------	-------------------



24SI | PAD MOUNT

Voltage: 12
Rated Output: 160 amps
B+ Output Terminal: 5/16
R Terminal: CONN
I Terminal: CONN

DR 8600143	\$260.09ea
-------------------	-------------------



28SI | PAD MOUNT

Voltage: 12
Rated Output: 200 amps
B+ Output Terminal: 5/16
R Terminal: #10
I Terminal: #10

DR 8600314	\$255.89ea
-------------------	-------------------



VOLVO D13, MACK MP8

Voltage: 12
Pinion Teeth: 12
Pinion Pitch: 8/10
Solenoid Position: 251
Rotation: Clockwise

DR 8201100	\$395.39ea
-------------------	-------------------



CUMMINS ISX12, ISX12G

Voltage: 12
Pinion Teeth: 11
Pinion Pitch: 6/8
Solenoid Position: 052
Rotation: Clockwise

DR 8200793	\$431.19ea
-------------------	-------------------



CUMMINS ISC / ISL / ISL-G, NAVISTAR

Voltage: 12
Pinion Teeth: 12
Pinion Pitch: 8/10
Solenoid Position: 082
Rotation: Clockwise


DR 8200433	\$394.99ea
-------------------	-------------------



DD13 / 15 / 16, 2016 - NEWER

Voltage: 12
Pinion Teeth: 12
Pinion Pitch: MOD 3.00
Solenoid Position: 292
Rotation: Clockwise

DR 8200434	\$382.99ea
-------------------	-------------------



36SI | PAD MOUNT

Voltage: 12
Rated Output: 170 amps
B+ Output Terminal: 1/4
R Terminal: #10
I Terminal: #10

DR 8600127	\$476.99ea
-------------------	-------------------



36SI | PAD MOUNT

Voltage: 12
Rated Output: 165 amps
B+ Output Terminal: 1/4
R Terminal: #10
I Terminal: #10

DR 8600248	\$297.39ea
-------------------	-------------------



36SI | PAD MOUNT

Voltage: 12
Rated Output: 165 amps
B+ Output Terminal: 1/4
R Terminal: #10
I Terminal: #10

DR 8600367	\$302.09ea
-------------------	-------------------



40SI | PAD MOUNT

Voltage: 12
Rated Output: 275 amps
B+ Output Terminal: 5/16
R Terminal: #10
I Terminal: #10

DR 8600094	\$727.39ea
-------------------	-------------------



NOCO BATTERY CARE

BATTERY CLEANER, 14 OZ.

- Instantly neutralizes, dissolves and removes battery corrosion
- Changes color upon contact with acid
- Ideal for battery terminals, cables, hold-downs and boxes
- Restores max. current flow and reduces potential voltage leakage

BATTERY CORROSION PREVENTATIVE, 12.25 OZ.

- Stops battery corrosion for the life of your battery
- Oil-based formula that does not dry or evaporate
- Environmentally safe and resistant to reversion, moisture, shock and vibration
- Eliminates battery corrosion for increased cranking ability

TERMINAL PROTECTORS

Designed to provide a barrier against acid fumes that seep through improperly sealed batteries and cause battery corrosion. Made from 100% organic non-woven felt and saturated in NCP2 battery corrosion preventative compound.

NOCMC303	2pk, Top Post Felt Protectors	\$2.29ea
NOCB603	50pk, Top Post Felt Protectors	\$15.79ea



BATTERY HARDWARE

SIDE TERMINAL-TO-TOP POST CONNECTORS

- 3/8" threads
- Positive / Negative

GRO829131	\$3.89pr
------------------	-----------------

STUD-TO-TOP POST CONNECTORS

- 3/8"-16 threads
- Positive / Negative

GRO829130	\$3.39pr
------------------	-----------------

GROUP 31 CLOSED CAP NUT

- 3/8"-16 threads
- Stainless steel

GRO829184	\$5.89ea
------------------	-----------------

GROUP 31 STUD NUTS

- 3/8"-16 threads
- Stainless steel
- Universal polarity

SNV422126	\$2.09ea
------------------	-----------------



BRAKE COMPONENTS

NEW BRAKE SHOE KITS

- New Gripper Brake Shoe Kits
- Kits contain two new shoes and hardware kits
- Uses extended wear lining and standard cam



MIDGR4515QJ	16.50" x 7", 20k lb, for Meritor Q current design	\$95.99ea
MIDGR4707QJ	16.50" x 7", 20k lb, for Meritor Q Plus	\$91.89ea
MIDGG4707QJ	16.50" x 7", 23k lb, for Meritor Q Plus	\$98.99ea
MIDGR4709ES2J	16.50" x 7", 20k lb, for Eaton ESII	\$97.99ea
MIDGG4709ES2J	16.50" x 7", 23k lb, for Eaton ESII	\$104.99ea
MIDGG4711QJ	16.50" x 8.625", 23k lb, for Meritor Q Plus	\$139.99ea
MIDGG4715QJ	16.50" x 6", 23k lb, for Meritor Q Plus	\$137.99ea
MIDGR4719ES2J	16.50" x 5", 20k lb, for Eaton ESII	\$108.99ea
MIDGR4720QJ	16.50" x 5", 20k lb, for Meritor Q Plus	\$123.99ea

REMAN BRAKE SHOE KITS

- Provides good value and consistently stable and reliable brake performance



TUFRK6204515Q	16.50" x 7", 20k lb, for Meritor Q current design	\$48.99ea
TUFRK6304515Q	16.50" x 7", 23k lb, for Meritor Q current design	\$46.59ea
TUFRK6204707Q	16.50" x 7", 20k lb, for Meritor Q Plus	\$47.59ea
TUFRK6304707Q	16.50" x 7", 23k lb, for Meritor Q Plus	\$47.29ea
TUFRK6204709E2	16.50" x 7", 20k lb, for Eaton ESII	\$47.49ea
TUFRK6304709E2	16.50" x 7", 23k lb, for Eaton ESII	\$45.09ea

REMAN BRAKE SHOE KITS

- Features premium Abex lining and a heavy-duty hardware kit



ABRKEN1443E	15" x 4", 20k lb, for Eaton, Premium OE Grade	\$61.79ea
ABRKEX1443E	15" x 4", 23k lb, for Eaton, Supreme OE Grade	\$65.19ea
ABRKEXP4311E	16.5" x 7", 23k lb, for Eaton, Supreme OE Grade	\$81.59ea
ABRKANP4515Q	16.50" x 7", 20k lb, for Meritor Q current design, Premium Grade	\$57.29ea
ABRKEXP4515Q	16.50" x 7", 23k lb, for Meritor Q current design, Supreme OE Grade	\$76.79ea
ABRKENP4515Q	16.50" x 7", 23k lb, for Meritor Q current design, Premium OE Grade	\$67.79ea
ABRKEXP4515X3	16.50" x 7", 23k lb, for Fruehauf, Supreme OE Grade	\$80.39ea
ABRKAXP4515X3	16.50" x 7", 23k lb, for Fruehauf, Supreme Grade	\$68.49ea
ABRKENP4702Q	15" x 4", 20k lb, for Meritor, Premium OE Grade	\$62.79ea
ABRKEXP4702Q	15" x 4", 23k lb, for Meritor, Supreme OE Grade	\$69.59ea
ABRKANP4707Q	16.50" x 7", 20k lb, for Meritor Q Plus, Premium Grade	\$61.59ea
ABRKAXP4707Q	16.50" x 7", 23k lb, for Meritor Q Plus, Supreme Grade	\$69.09ea
ABRKENP4707Q	16.50" x 7", 20k lb, for Meritor Q Plus, Premium OE Grade	\$70.69ea
ABRKEXP4707Q	16.50" x 7", 23k lb, for Meritor Q Plus, Supreme OE Grade	\$82.19ea
ABRKAX4709E2	16.50" x 7", 23k lb, for Eaton ESII, Supreme Grade	\$70.89ea
ABRKEX4709E2	16.50" x 7", 23k lb, for Eaton ESII, Supreme OE Grade	\$81.29ea
ABRKEN4709E2	16.50" x 7", 20k lb, for Eaton ESII, Premium OE Grade	\$76.49ea
ABRKEN4711Q	16.50" x 8.625", 20k lb, for Meritor, Premium OE Grade	\$110.39ea
ABRKEX4711Q	16.50" x 8.625", 23k lb, for Meritor, Supreme OE Grade	\$109.59ea
ABRKEX4715QM	16.50" x 6", 23k lb, for Meritor, Supreme OE Grade	\$89.69ea
ABRKEN4719E2	16.50" x 5", 20k lb, for Eaton, Premium OE Grade	\$72.69ea
ABRKEN4720QM	16.50" x 5", 20k lb, for Meritor, Premium OE Grade	\$84.69ea
ABRKEX4725E2	16.50" x 6", 23k lb, for Eaton ES, Supreme OE Grade	\$99.79ea
ABRKEN4726E2	16.50" x 8.625", 20k lb, for Eaton ESII, Premium OE Grade	\$102.39ea
ABRKEX4726E2	16.50" x 8.625", 23k lb, for Eaton ESII, Supreme OE Grade	\$110.99ea

REMAN BRAKE SHOE KITS

- Lined shoe kits include hardware
- Shoes feature Platinum Shield III coating to prevent rust-jacking



TDAXK3124524QR	16.50" x 5", 23k lb, for Meritor Q, OEM Grade	\$85.59ea
TDAXK2124702QP	15" x 4", 21k lb, for Meritor Q Plus, OEM Grade	\$61.09ea
TDAXK3124702QP	15" x 4", 23k lb, for Meritor Q Plus, OEM Grade	\$71.09ea
TDAXKEG4707QP	16.50" x 7", 20k lb, for Meritor Q Plus, Economy Grade	\$54.79ea
TDAXKEG24707QP	16.50" x 7", 23k lb, for Meritor Q Plus, Economy Grade	\$60.09ea
TDAXK2124707QP	16.50" x 7", 21k lb, for Meritor Q Plus, OEM Grade	\$71.49ea
TDAXK3124707QP	16.50" x 7", 23k lb, for Meritor Q Plus, OEM Grade	\$79.69ea
TDAXK20014707QP	16.50" x 7", 20k lb, for Meritor Q Plus, OEM Grade RSD	\$80.69ea
TDAXK23014707QP	16.50" x 7", 23k -26k lb, for Meritor Q Plus, OEM Grade RSD	\$82.19ea
TDAXK3124707QPR	16.50" x 7", 23k lb, for Meritor Q Plus, OEM Grade	\$95.69ea
TDAXKEG24709E2	16.50" x 7", 23k lb, for Eaton ESII, Economy Grade	\$61.39ea
TDAXK2124709E2	16.50" x 7", 21k lb, for Eaton ESII, OEM Grade	\$74.29ea
TDAXK3124709E2	16.50" x 7", 23k lb, for Eaton ESII, OEM Grade	\$85.29ea
TDAXK20014709E2	16.50" x 7", 20k lb, for Eaton ESII, OEM Grade RSD	\$85.99ea
TDAXK23014709E2	16.50" x 7", 23k - 26k lb, for Eaton ESII, OEM Grade RSD	\$94.59ea
TDAXK3124711QP	16.50" x 8.625", 23k lb, for Meritor Q Plus, OEM Grade	\$123.69ea
TDAXK3124515Q	16.50" x 7", 23k lb, for Meritor Q, OEM Grade	\$74.49ea
TDAXK3124715QP	16.50" x 6", 23k lb, for Meritor Q Plus, OEM Grade	\$97.59ea
TDAXK3124718QP	16.50" x 8", 23k lb, for Meritor Q Plus, OEM Grade	\$87.29ea
TDAXK2124719E	16.50" x 5", 21k lb, for Eaton, OEM Grade	\$95.99ea
TDAXK20014719E	16.50" x 5", 20k lb, for Eaton, OEM Grade RSD	\$111.79ea
TDAXK12014720QP	16.50" x 5", 12.5k - 13.2k lb, for Meritor Q Plus, OEM Grade RSD	\$86.09ea
TDAXK3124720QP	16.50" x 5", 23k lb, for Meritor Q Plus, OEM Grade	\$108.19ea
TDAXK3124725E	16.50" x 6", 23k lb, for Eaton, OEM Grade	\$121.79ea
TDAXK3124726E	16.50" x 8.625", 23k lb, for Eaton, OEM Grade	\$140.49ea



TRUCK CENTERS

\$145 BRAKE INSPECTION SPECIAL

Includes up to 3 axles (steer, front drive and rear drive). OEM-certified and trained technicians will:

- Inspect condition of brake shoes and drums, pads or rotors, measuring and reporting remaining life
- Verify and record brake stroke
- Inspect brake chambers for proper mounting
- Inspect condition of air brake hoses and air lines
- Test air system warning devices
- Check for wheel seal leaks
- Inspect trailer hoses and gladhands

Available at any one of our 16 service locations!

Schedule yours today!



Offer Disclaimer: Brake inspection for up to 3 axles is \$145. Any repairs or parts recommended or needed based on the inspection are additional. Offer valid through 12/31/25.

OFFER VALID
through December 31, 2025

STEELITE X30 BRAKE DRUMS



MERITOR

In Stock!

Premium lightweight drums, for unsurpassed performance on the road.

- One-piece roll-formed steel shell design uses a patented process
- Exclusive SpinCast process fuses a gray iron liner to the outer shell, for optimum stopping performance
- No-weld seams mean extra strength and durability
- No welded-on balance weights due to patented machine-to-balance process
- Designed for tractor and trailer applications across standard and high duty cycles
- Designed to prevent insulating corrosion buildup

TDA53123537002

STEELite X30 Brake Drum
Brake Size: 16.50" x 7.00"
Drum Mount: Outboard
Finished Weight: 92.48 lbs
Axle Capacity: 23,000 lbs
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Width: 7.87"



TDA53123544002

STEELite X30 Brake Drum
Brake Size: 16.50" x 8.62"
Drum Mount: Outboard
Finished Weight: 103.32 lbs
Axle Capacity: 23,000 lbs
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Width: 8.95"



SLACK ADJUSTERS



PART NUMBER	ARM LENGTH	# SPLINES	SPLINE DIAMETER	TYPE	PRICE
BW K043197	5.5"	28	1.50"	Automatic	\$109.19ea
BW K041877	6.0"	28	1.50"	Automatic	\$108.39ea
BW 278323N	5.0", 6.0", 7.0"	10	1.50"	Manual	\$26.69ea
BW 288753N	5.5", 6.5"	28	1.50"	Manual	\$27.19ea

AUTOMATIC SLACK ADJUSTERS

- Stroke sensing automatic slack adjusters
- Type 1 and Type 2 indicate the location of the pawl assembly on the slack adjuster



MERITOR

PART NUMBER	ARM LENGTH	# SPLINES	SPLINE DIAMETER	POSITION / TYPE	PRICE
TDAR802648	5.5"	28	1.50"	Type 1	\$134.39ea
TDAR803024	5.5"	28	1.50"	Type 1	\$97.59ea
TDAR803048	5.5"	28	1.50"	Type 1	\$96.79ea
TDAR803049	5.5"	28	1.50"	Type 2	\$96.79ea
TDAR803054	6.0"	28	1.50"	Type 1	\$94.19ea
TDAM807016	6.0"	28	1.50"	Drive (Mack)	\$120.99ea

AUTOMATIC BRAKE ADJUSTERS

- Compatible with all major brand clevises
- Industry's longest warranty - 6-Year / 1,000,000 mile warranty (on-highway)



PART NUMBER	ARM LENGTH	# SPLINES	SPLINE DIAMETER	POSITION	PRICE
MID40010011	5.5"	28	1.50"	All	\$134.39ea
MID40010013	5.5"	10	1.25"	Steer	\$134.39ea
MID40010070	5.5"	28	1.50"	Steer	\$134.39ea
MID40010121	5.5"	10	1.50"	All	\$137.29ea
MID40010140	5.0", 6.0"	28	1.50"	Drive	\$134.39ea
MID40010141	5.5"	28	1.50"	Drive	\$127.89ea
MID40010143	5.5"	10	1.50"	Drive	\$134.39ea
MID40010144	6.0"	28	1.50"	Drive (Mack)	\$130.49ea
MID40010155	5.5"	10	1.50"	Drive (Kenworth)	\$134.49ea
MID40010180	5.5"	28	1.50"	Drive	\$134.39ea
MID40010182	6.0"	28	1.50"	All	\$134.39ea
MID40010211	5.5"	28	1.50"	Trailer, 16.5"	\$134.09ea
MID40010212	6.0"	28	1.50"	Trailer, 16.5"	\$134.09ea
MID40010305	6.0"	28	1.50"	Trailer, 12.25"	\$134.09ea
MID40020211	5.5"	28	1.50"	Trailer, 16.5" (Self-Setting)	\$139.59ea
MID40020212	6.0"	28	1.50"	Trailer, 16.5" (Self-Setting)	\$139.59ea
MID40020231	5.5"	28	1.50"	Drive (Self-Setting)	\$139.89ea

BRAKE SAFETY MATTERS

Heavy-duty trucks depend on properly functioning brakes to deliver safe, reliable performance on the road. Over time, brake shoes wear down and slack adjusters can fall out of adjustment, increasing stopping distances and putting unnecessary strain on other parts of the braking system. These issues don't just reduce braking efficiency - they also create uneven braking between axles and wheels, which can lead to pulling, skidding, or even loss of control under hard stops.

Replacing worn brake shoes and keeping slack adjusters in top condition helps maintain consistent braking, extends the life of related components, and keeps vehicles compliant with safety regulations. More importantly, it reduces the risk of costly breakdowns and protects drivers, trucks, and other motorists. Regular inspections and timely replacement of brake components aren't just maintenance best practices - they're critical steps in keeping trucks safe and road-ready.



BRAKE COMPONENTS



BRAKE DRUMS

The Webb Vortex Unlimited features advanced brake drum technology to run 10% cooler than standard brake drums. The patented design employs external cooling ribs that conduct heat away from the brake surface for superior heat dissipation. A patented wear indicator gives you a quick visual reference to take the guesswork out of repairs to save on maintenance cost.

WEBB
VORTEX



In Stock!

WEB77807BW

Vortex® Unlimited Brake Drum
Brake Size: 16.50" x 7.00"
Drum Mount: Outboard
Finished Weight: 109 lbs
Max. Wear Diameter: 16.62"
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Flat: 7.54"



WEB77808BW

Vortex® Unlimited Brake Drum
Brake Size: 16.50" x 8.00"
Drum Mount: Outboard
Finished Weight: 118 lbs
Max. Wear Diameter: 16.62"
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Flat: 8.66"



WEB77809BW

Vortex® Unlimited Brake Drum
Brake Size: 16.50" x 8.62"
Drum Mount: Outboard
Finished Weight: 120 lbs
Max. Wear Diameter: 16.62"
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Flat: 9.05"



WEB78400B

Vortex® Unlimited Brake Drum
Brake Size: 16.50" x 6.00"
Drum Mount: Outboard
Finished Weight: 113 lbs
Max. Wear Diameter: 16.62"
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Flat: 6.56"



Designed for standard-duty drive and trailer over-the-road applications, the Webb 56864B is a great solution to handle the higher heat caused by reduced air flow from trailer skirts.

WEBB

In Stock!

More robust than the 56864 brake drum, the Webb 66864 is the proven industry standard for vocational, or heavy-duty drive and trailer applications.

WEB56864B

Brake Drum
Brake Size: 16.50" x 7.00"
Drum Mount: Outboard
Finished Weight: 104 lbs
Max. Wear Diameter: 16.62"
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Flat: 7.54"



WEB66864B

Standard Brake Drum
Brake Size: 16.50" x 7.00"
Drum Mount: Outboard
Finished Weight: 108 lbs
Max. Wear Diameter: 16.62"
Number of Bolt Holes: 10
Wheel Type: Disc
Brake Surface Flat: 7.54"



BRAKE CHAMBERS

TR CHAMBERS

- Tamper Resistant design
- Molded nitrile rubber push-rod air seal
- Externally stored release bolt
- Heavy-duty nylon reinforced diaphragms
- Epoxy-coated return spring and weatherseal plug
- Epoxy-coated head, non-pressure chamber and lower push-rod assembly

MODEL: TR3030
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3430051X \$100.99ea

MODEL: TR3636
STROKE: 3.00" / Standard
WEIGHT: 30.8 lbs

MGM3437051 \$253.59ea

PIGGYBACK PLUS KIT

MODEL: TR3030
STROKE: 2.50" / Long
WEIGHT: 11.3 lbs

MGM3430008X \$89.69ea

INTRAAX® / VANTRAAX®

MODEL: TR3030
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3430551X \$121.09ea



MGM Brakes
A Division of Indian Head Industries, Inc.

REPLACEMENT
COMPONENTS ARE
ALSO AVAILABLE

TR-LP3HD CHAMBER

- Tamper Resistant design
- Externally stored release bolt
- Stroke alert
- Epoxy-coated head, non-pressure chamber and lower push-rod assembly
- Heavy-duty nylon reinforced diaphragms
- Epoxy-coated return spring and weatherseal plug

MODEL: TR3030LPHD
STROKE: 3.00" / Long
WEIGHT: 20.4 lbs

MGM3232951X \$173.49ea



SERVICE CHAMBERS

- Formed steel pressure cap
- Heavy gauge formed steel mounting base
- Heavy-duty nylon reinforced diaphragms
- Mounting studs (grade 5) heat treated and plated
- Low-profile design
- Suitable for S-cam and disc brake applications
- Epoxy coated for total corrosion protection and reliability

MODEL: C20
STROKE: 2.25" / Standard
WEIGHT: 8.02 lbs

MGM1420001 \$73.59ea

MODEL: C30
STROKE: 2.50" / Standard
WEIGHT: 10.7 lbs

MGM1430001 \$74.39ea

MODEL: CS20L
STROKE: 2.50" / Sealed Long
WEIGHT: 6.8 lbs

MGM1621901X \$77.09ea

MODEL: C24L
STROKE: 2.50" / Long
WEIGHT: 9.0 lbs

MGM1427001 \$71.99ea

MODEL: C24L
STROKE: 2.50" / Long
WEIGHT: 9.0 lbs

MGM1427801 \$80.19ea

MODEL: C24L3
STROKE: 3.00" / Long
WEIGHT: 9.72 lbs

MGM1428901 \$88.09ea

TR-LP3 CHAMBERS

- Tamper Resistant design
- Molded nitrile rubber push-rod air seal
- Externally stored release bolt
- Heavy-duty nylon reinforced diaphragms
- Epoxy-coated return spring and weatherseal plug
- Epoxy-coated head, non-pressure chamber and lower push-rod assembly

MODEL: TR3030LP3
STROKE: 3.00" / Long
WEIGHT: 20.1 lbs

MGM3230051X \$120.69ea

with Welded Yoke
MODEL: TR3030LP3
STROKE: 3.00" / Long
WEIGHT: 20.1 lbs

MGM3230957 \$177.09ea

PIGGYBACK PLUS KIT LONG STROKE

MODEL: TR3030LP3
STROKE: 3.00" / Long
WEIGHT: 11.5 lbs

MGM3230008X \$104.59ea

TR-T CHAMBERS

- Tamper Resistant design
- External breather tube seals out contamination
- 360 Aluminum center case
- Center hole shield prevents entry of contaminants
- Heavy-duty steel non-pressure chamber

MODEL: TR3030T
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3431951X \$147.09ea

MODEL: TR3030T
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3431952X \$149.59ea

MODEL: TR3030T
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3431051X \$129.49ea

Neoprene Diaphragm with Welded Yoke
MODEL: TR3030TS
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3531953 \$194.29ea

Neoprene Diaphragm
MODEL: TR3030TS
STROKE: 2.50" / Standard
WEIGHT: 19.4 lbs

MGM3532851X \$288.09ea

CHAMBERS FOR
SEVERE SERVICE
APPLICATIONS

AIR DISC BRAKE

PADS

Maximum braking power, shorter stopping distances, and improved safety. Longer service intervals and faster maintenance that helps lower costs and downtime. It's easy to see why air disc brakes continue to grow in popularity. Bendix® pad kits include OEM hardware with B-level copper compliant friction.

BW K297277

ADB22X Extended Life Brake Pad Kit



Bendix

\$187.99ea

ROTORS

Meets or exceeds Bendix heat crack testing requirements. Easy identification with "Bendix" engraved on the side.

BW K038573

138mm Offset, 430mm Outer Diameter, 249mm Inner Diameter, U-Shaped



\$322.39ea


BW 802569

No Offset, 430mm Outer Diameter, 258mm Inner Diameter, HD Splined Disc Kit

\$303.29ea

DO YOU NEED LONG STROKE OR STANDARD STROKE BRAKE CHAMBERS?

A standard (or regular) stroke brake chamber will have round brake hose connection ports, whereas a long stroke chamber will have square connection ports, as illustrated below.



LONG STROKE



STANDARD STROKE

BRAKE CHAMBERS



MODEL PS-ESL
without Clevis
MODEL: 3030
STROKE: 3.00" / Long Stroke
PORTS: Square
WEIGHT: 20.10 lbs
RC SB3030LS \$68.89ea



MODEL PS
without Clevis
MODEL: 3030
STROKE: 2.50" / Standard Stroke
PORTS: Round
WEIGHT: 20.10 lbs
RC SB3030STD \$59.09ea

BRAKE CHAMBERS

ENDURASURE® SERIES

- Threaded clevis
- Operating temperature range: -40°F to 175°F



TYPE: 30
STROKE: 2.50" / Standard
PUSH ROD LENGTH: 7.80"
BW NT3030STD78TC \$74.29ea



TYPE: 30
STROKE: 3.00" / Long
PUSH ROD LENGTH: 8.00"
BW NT3030ELS80TC \$90.09ea



TYPE: 30
STROKE: 3.00" / Long
PUSH ROD LENGTH: 2.25"
BW NT3030ELSWC \$86.39ea

SERVICE CHAMBERS

- Threaded clevis
- Operating temperature range: -40°F to 175°F



TYPE: 20
STROKE: 2.50" / Standard
PUSH ROD LENGTH: 8.20"
BW 800824 \$41.99ea



TYPE: 24
STROKE: 2.50" / Standard
PUSH ROD LENGTH: 9.56"
BW 800825 \$33.39ea



TYPE: 30
STROKE: 2.50" / Standard
PUSH ROD LENGTH: 9.36"
BW 5007121N \$33.49ea

BRAKE CHAMBERS



GOLD SEAL

- Superior power spring technology
- Double o-ring centerseal
- Rugged service housing
- Orange Alert® stroke indicator

MODEL: 3030
STROKE: 2.50" / Standard
WEIGHT: 20.3 lbs

MIDGC3030 \$85.99ea



with Welded Clevis
MODEL: 3030
STROKE: 2.50" / Standard
WEIGHT: 21.3 lbs

MIDGC3030CW \$94.29ea



with Welded Clevis
MODEL: 3030
STROKE: 3.00" / Long
WEIGHT: 21.9 lbs

MIDGC3030LCW \$104.69ea



GOLDSEAL+

- Increased spring housing height
- Aluminum center body
- Patented piloted dust shield
- 4-Year warranty

With Welded Clevis
MODEL: 3030
STROKE: 2.50" / Standard

MIDGC3030S7CW \$94.29ea

SERVICE CHAMBERS

- Steel pressure housing
- Powder coated for corrosion resistance
- Orange Alert® stroke indicator



with Welded Clevis
TYPE: 24
STROKE: 3.00" / Extra Long
WEIGHT: 8.4 lbs

MIDSC24XLCW \$55.79ea



with Welded Clevis
TYPE: 30
STROKE: 3.00" / Long
WEIGHT: 9.7 lbs

MIDSC30LCW \$57.19ea



FORWARD LIGHTING

LED HEADLIGHTS

- Metallized reflector optics
- H4, 3-blade wiring connector
- Provides a brighter, crisper and whiter light output
- Military grade, die-cast aluminum housing and non-yellowing, polycarbonate lens

4" X 6" LOW BEAM
Drop-in replacement for #2A1, 4652, H4652, H4656, H4662, H4739 and H5062
TL 37640CP

4" X 6" HIGH BEAM
Drop-in replacement for #1A1, 4651, H4651 and H5051
TL 37645CP

7" ROUND
Drop-in replacement for #6014, 6015, H6024 and Par 56
TL 37270C3

5" X 7" HIGH / LOW
Drop-in replacement for #6052, 6053, H6054 and HP6054
TL 37450CP



TL 37640CP 4" x 6" Low Beam **\$156.69_{ea}**
TL 37645CP 4" x 6" High Beam **\$143.39_{ea}**
TL 37270C3 7" Round **\$190.09_{ea}**
TL 37450CP 5" x 7" High / Low **\$180.59_{ea}**

MACK PINNACLE LED HEADLIGHTS

Plug-and-play installation makes it easy to upgrade to LED headlights with convenient pigtail (TL 83328 - sold separately).

FITS MACK PINNACLE
CHU 2006 - 2011
CH 2000 - 2005
RD 1990 - 1999



TL 27656CA LED Headlight Assembly **\$288.09_{ea}**
TL 07564 LED Turn Signal Assembly **\$120.89_{ea}**

ONLY ONE PART NUMBER FOR BOTH DRIVER AND PASSENGER SIDE ASSEMBLIES FOR HEADLIGHT AND TURN SIGNAL

HEADLIGHT CAPSULES

STANDARD HALOGEN CAPSULES

Designed to meet or exceed original equipment standards, count on Wagner® Halogen Capsules for superior performance. Equipped with high-grade filament and glass, Wagner Halogen Capsules deliver brighter, whiter light than incandescent lighting.

THESE BULBS ARE SOLD INDIVIDUALLY

WAGBP9003 9003 **\$3.29_{bulb}**
WAGBP9004 9004 **\$3.09_{bulb}**
WAGBP9005 9005 **\$3.19_{bulb}**
WAG9006 9006 **\$4.29_{bulb}**
WAG9007 9007 **\$2.99_{bulb}**
WAG9008 9008 **\$7.19_{bulb}**
WAGBP1255/H1 H1 **\$5.49_{bulb}**
WAGBP1255/H3 H3 **\$3.39_{bulb}**
WAGBP1255/H7 H7 **\$3.79_{bulb}**
WAGBP1255/H11 H11 **\$5.49_{bulb}**

BRITELITE® CAPSULES

This vivid and bright lighting solution creates a beam pattern that is up to 120 feet longer and up to 80% brighter than Wagner® standard halogen headlamps. Wagner BriteLite® maximizes your viewing area for safer and easier night driving.

THESE BULBS ARE SOLD AS A PAIR

WAGBP9003BLX2 9003 **\$19.69_{pair}**
WAGBP9005BLX2 9005 **\$19.69_{pair}**
WAGBP9006BLX2 9006 **\$19.69_{pair}**
WAGBP9007BLX2 9007 **\$19.69_{pair}**
WAGBPH11BLX2 H11 **\$23.59_{pair}**



WIRING HARNESSES

- 9" lead wire
- For halogen headlamp assembly with 3 prongs
- For 9004, 9007 bulb

GRO841039 **\$2.99_{ea}**

- 9" lead wire
- For halogen headlamp assembly with 2 prongs
- For 9005 bulb

GRO841037 **\$2.69_{ea}**

- 9" lead wire
- For halogen headlamp assembly with 2 prongs
- For 9006 bulb

GRO841038 **\$2.99_{ea}**

- Fits bulbs 880, 881, 884, 885, 886, 889, 890, 892, 893, 899
- Works with H11 bulb

GRO841072 **\$4.79_{ea}**

- 12" lead wire
- For 2 or 3 terminal sealed beam headlights or terminal flashers

GRO841006 **\$1.89_{ea}**

- 12" lead wire
- Connects 4 to 5 terminal relays or flashers

GRO841041 **\$4.49_{ea}**

- 12" lead wire
- For stop, turn, park lamps
- Fits bulb sizes 3057 and 3157

GRO841049 **\$4.79_{ea}**

- 12" lead wire
- For bulb sizes 63, 67, 81, 89, 93, 97, 1003, 1141, 1156

GRO841003 **\$2.49_{ea}**

- 10" lead wire
- Dual function
- Standard 4-pin hard shell connector

GRO66861 **\$4.79_{ea}**

- 6" lead wire
- Ring terminal ground, blunt-cut wire
- For sealed marker lights

GRO67050 **\$1.49_{ea}**

- 13" lead wire
- Universal 3-wire 90° plug-in for female pin lights

GRO67090 **\$1.59_{ea}**

STOP / TURN / TAIL LIGHTS

4" ROUND

- SuperNova®**
- Red lens
- 10-diode pattern
- Black housing

GRO53252



Male Pin

\$22.59_{ea}

GRO53552 Hardshell Connector **\$22.69_{ea}**

- SuperNova®**
- Red lens
- Stainless steel theft-resistant flange

GRO53302



Male Pin

\$28.99_{ea}

- SuperNova® NexGen™**
- Red acrylic lens
- Resembles incandescent lights to alleviate theft concerns

GRO54362 Hardshell Connector **\$20.19_{ea}**



Male Pin

- Torsion Mount® II**
- Red lens
- Gel-Mount® bulb cradle design

GRO52772 Female Pin **\$7.89_{ea}**



Female Pin

6" OVAL

- SuperNova®**
- 9-diode Amber lens
- Completely encapsulated with epoxy

GRO54143 Hardshell Connector **\$33.19_{ea}**



- Hi Count®**
- Amber lens
- Fits same connections as incandescent lamps
- Lower amp draw

GROG6003 Female Pin **\$36.59_{ea}**



- Fits 2-1/2" x 6-3/4" oval hole
- Fits panel thicknesses up to 1/4"

GRO92420 **\$1.79_{ea}**



- Requires 4-1/2" diameter hole
- Fits panel thicknesses up to 1/4"

GRO91740 **\$1.39_{ea}**



LED OFF-ROAD LIGHT BARS

- Combination Flood / Spot pattern
- Easier on vehicle electrical systems because they run cooler than halogen or HID
- Mounting brackets included
- 12v/24v



GRO64J11 10" Light Bar; 5,400 Lumens **\$207.49_{ea}**
GRO64J21 20" Light Bar; 10,800 Lumens **\$280.79_{ea}**
GRO64J31 30" Light Bar; 16,200 Lumens **\$366.19_{ea}**

HEADLIGHT ASSEMBLIES

VOLVO

VN, 2004
VNL, 2004 - 2018
VNM, 2004 - 2018



DOR-888-5505 Passenger (RH)

DOR-888-5506 Driver (LH)

YOUR CHOICE

\$214.59_{ea}

VN, 1997 - 2004
VNL, 1997 - 2004



DOR-888-5507 Passenger (RH)

DOR-888-5508 Driver (LH)

YOUR CHOICE

\$73.69_{ea}

HINO

145, 165, 185, 258, 258ALP, 258LP, 268, 268A, 338, 338CT, 2006 - 2019



DOR-888-5759 Passenger (RH)

DOR-888-5760 Driver (LH)

YOUR CHOICE

\$170.39_{ea}

MACK

CH, 1993 - 2006
CL, 1991 - 2007



DOR-888-5501 Passenger (RH)

DOR-888-5502 Driver (LH)

YOUR CHOICE

\$213.19_{ea}

CX, 1998 - 2005
CXN, 2004 - 2008
CT, 2005 - 2007
GU8, 2008 - 2019



DOR-888-5503 Passenger (RH)

DOR-888-5504 Driver (LH)

YOUR CHOICE

\$207.79_{ea}

GU4, 2012 - 2019
GU5, 2012 - 2018
GU7, 2008 - 2019



DOR-888-5127 Passenger (RH)

DOR-888-5126 Driver (LH)

YOUR CHOICE

\$185.69_{ea}

FREIGHTLINER

Columbia, 2001 - 2017



DOR-888-5201 Passenger (RH)

DOR-888-5202 Driver (LH)

YOUR CHOICE

\$130.69_{ea}

M2, 2002 - 2019



DOR-888-5203 Passenger (RH)

DOR-888-5204 Driver (LH)

YOUR CHOICE

\$149.99_{ea}

Cascadia, 2008 - 2018



DOR-888-5205 Passenger (RH)

DOR-888-5206 Driver (LH)

YOUR CHOICE

\$126.39_{ea}

FOG LIGHT ASSEMBLIES

VOLVO

VN, 2004
VNL, 2004 - 2015



DOR-888-5509 Passenger (RH)

DOR-888-5510 Driver (LH)

YOUR CHOICE

\$71.69_{ea}

VNL, 2006 - 2009



DOR-888-5511 Passenger (RH)

DOR-888-5512 Driver (LH)

YOUR CHOICE

\$139.89_{ea}



Restore driving visibility with Dorman Headlight and Fog Light assemblies.

- Rigid, durable plastic protects against weather and road conditions
- Built to match the exact original dimensions for proper fit
- Plug and play, no programming necessary
- Replacement of worn / damaged headlight restores aesthetic appearance

HEADLIGHT AND FOG LIGHT ASSEMBLIES ARE ALSO AVAILABLE FOR OTHER APPLICATIONS

INTEGRATED BACKUP LIGHTS

- Combines all stop, tail, turn and back-up functions into one industry standard size lamp
- Standard 4-pin hard shell connector
- Provides high level electrical protection for: reverse voltage, over voltage, electrical transients, and overheating



LED



GRO55162 4" Round **\$35.89_{ea}**
GRO54682 6" Oval **\$40.19_{ea}**

MISCELLANEOUS LIGHTING

SUPERNOVA® LICENSE LIGHT

- Ideal for applications needing low-profile, vibration-resistant lights

GRO60631 **\$57.09_{ea}**

SUPERNOVA® HOOK UP LIGHT

- 4" flanged LED light
- Replaces existing hook-up lamps

GRO60381 **\$33.69_{ea}**



CLEARANCE MARKERS

SuperNova® Sealed Turtleback II

Encapsulant potting for total circuit-board protection and meets PC function only when mounted at a 45° angle

GRO47072 Red, Reflector **\$10.09_{ea}**

GRO47073 Amber, Reflector **\$11.19_{ea}**

GRO47162 Red, Optic Lens **\$21.79_{ea}**

GRO47163 Amber, Optic Lens **\$21.79_{ea}**



SuperNova® Clearance Marker, 2.5"

Encapsulant potting for total circuit-board protection


GRO47122 Red **\$8.19_{ea}**

GRO47123 Amber **\$8.79_{ea}**






REFLECTORS



- 2.187" diameter
- 0.25" deep
- Adhesive



- 3.125" diameter
- 0.23" deep
- Adhesive



- 4.375" wide
- 1.3" high
- 0.2" deep
- 2 screw or adhesive mount



- 3.2" diameter
- 0.27" deep
- Install with nail, screw or rivet



- 3" diameter
- Retro-reflective tape
- Bend, peel & stick



- 3.5" wide
- 2" high
- Retro-reflective tape
- Bend, peel & stick

Truck-Lite

TL 453	Red	\$1.99^{ea}
TL 45A3	Amber	\$1.99^{ea}
TL 473	Red	\$1.89^{ea}
TL 47A3	Amber	\$1.89^{ea}
TL 98003R	Red	\$2.49^{ea}
TL 98003Y	Amber	\$2.49^{ea}
TL 98006R	Red	\$2.59^{ea}
TL 98006Y	Amber	\$2.59^{ea}
TL 98175R	Red	\$2.09^{ea}
TL 98175Y	Amber	\$2.09^{ea}
TL 98176R	Red	\$2.09^{ea}
TL 98176Y	Amber	\$1.99^{ea}

SIDE TURN SIGNALS - 2" X 6"



- 6.5" W x 2.25" H x 2.5" D
- Narrow width facilitates horizontal mounting
- Meets SAE J2039 recommendation for side turn signal



- 6.5" W x 2.32" H x 1.94" D
- Complies with SAE J2039 standards for side turn signal
- Not susceptible to shock or vibration
- Less current draw resulting in increased battery and alternator life

Truck-Lite

TL 60215YP	Red	\$10.19^{ea}
TL 60421Y	Red	\$59.59^{ea}

ABS INDICATOR LIGHTS



- 2" diameter
- 0.69" deep
- Complies with FMVSS 108 requirement



- 6" wide X 2.03" high X 1.30" deep
- Suitable for mounting on a 45° angle with additional reflectors
- Super 21 plug
- 2 screw mounting



- 2.54" diameter
- 1" deep
- Unique shock-mount extends bulb life
- Sealed polycarbonate lens and housing

Truck-Lite

TL 30275Y3	Red	\$23.29^{ea}
TL 21210Y	Red	\$11.79^{ea}
TL 10212Y	Red	\$5.19^{ea}

LED CLEARANCE MARKERS



- 1.09" diameter
- 3/4" mount hole
- .180 bullet terminal
- 1 diode



- 0.719" diameter
- 3/4" mount hole
- .180 bullet terminal
- 1 diode



- 1.53" wide X 0.75" high
- Adhesive mount
- .180 bullet terminal
- 3 diodes



- 1.89" wide X 0.75" high
- Adhesive mount
- .180 bullet terminal
- 3 diodes

Truck-Lite

TL 33050RP	Red	\$8.79^{ea}
TL 33050YP	Amber	\$11.39^{ea}
TL 33250R3	Red	\$9.39^{ea}
TL 33250Y3	Amber	\$11.89^{ea}
TL 36115R	Red	\$23.49^{ea}
TL 36115Y	Amber	\$20.59^{ea}
TL 36203R	Red	\$25.49^{ea}
TL 36203Y	Amber	\$26.19^{ea}

LED ID LIGHT ASSEMBLY



- 0.72" diameter
- Requires 0.75" mounting hole
- World's smallest LED marker lamp for the transportation industry
- Hard-wired lamp
- .180 bullet terminal
- Available with extended harness lengths
- 1 diode / light, 3 lights per assembly

Truck-Lite

TL 33740R	Red	\$44.89^{ea}
------------------	-----	-----------------------------

4" ROUND S/T/T LIGHTS



- 4.31" diameter
- 2.11" deep
- Heavy duty bulb lasts longer
- Flush mount grommets designed for 4-1/2" hole



- 4.30" diameter
- 2.09" deep



- 4.31" diameter
- 2.11" deep
- Reflectorized
- Uniquely designed shock mount extends lamp life



- 4.41" diameter
- 1.75" deep
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern



- 4.35" diameter
- 1.74" deep
- Faster illumination for quicker reaction for surrounding traffic
- Flange mounts permanently affixed



- 4.4" diameter
- 1.75" deep
- Uses standard right angle connection
- Unique LED array displays full pattern light output design
- Extremely resistant to shock & vibration

Truck-Lite

TL 40202RP	Red	\$6.69^{ea}
TL 40202Y3	Amber	\$7.79^{ea}
TL 40282R3	Red	\$4.39^{ea}
TL 40282Y	Amber	\$6.09^{ea}
TL 40248R3	Red	\$12.09^{ea}
TL 4050P	Red	\$15.39^{ea}
TL 4050A3	Amber	\$17.79^{ea}
TL 44302R3	Red	\$20.19^{ea}
TL 40513	Red	\$17.79^{ea}
TL 4051A	Amber	\$18.49^{ea}


6" OVAL S/T/T LIGHTS



- 6.5" W x 2.25" H x 2.5" D
- Right angle plug assembly
- Mount horizontally or vertically



- 6.5" W x 2.32" H x 1.62" D
- Meets stringent front/park/turn signal requirements
- 26 diode pattern



- 6.5" W x 2.25" H x 1.75" D
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern



- 6.5" W x 2.25" H x 1.75" D
- Epoxy encapsulated to prevent damage from moisture & corrosion
- 24 diode pattern

Truck-Lite

TL 60202RP	Red	\$7.39^{ea}
TL 60202YP	Amber	\$7.39^{ea}
TL 60250R3	Red	\$36.79^{ea}
TL 6050P	Red	\$18.59^{ea}
TL 6050A3	Amber	\$21.39^{ea}
TL 6051	Red	\$24.39^{ea}
TL 6051A	Amber	\$24.39^{ea}

MISCELLANEOUS LIGHTS



- With chrome ABS body
- 2-pin weather pack connector



- With replaceable bulb
- Amber



- 2.54" diameter
- 2.54" deep
- Designed for cab marker use

Truck-Lite

TL 26360YA	Red	\$49.99^{ea}
TL 20314Y	Red	\$10.09^{ea}
TL 10203R	Red, Incandescent	\$3.99^{ea}
TL 10203Y	Amber, Incandescent	\$4.09^{ea}
TL 10276Y	Amber, LED	\$18.89^{ea}


LICENSE PLATE LIGHTING



- 2.49" W x 1.2" H x 0.83" D




- 2.48" W x 1.2" H x 1" D
- Hard-wired




- 1.5" diameter x 2.1" deep
- Snap-fit design



- 3.38" W x 2.32" H x 2.52" D
- Snap-fit mount



- 3.38" W x 2.32" H x 2.52" D
- Snap-fit mount



- 2.75" W x 1.5" H x 2" D
- Stripped wire ends



- 3.78" W x 1.23" H x 0.83" D



- 12" wide bracket mount
- 2 screw mount

Truck-Lite

SEE & BE SEEN

TL 15208MP	Red	\$2.09^{ea}
TL 152053	Red	\$22.39^{ea}
TL 263313	Red	\$4.09^{ea}
TL 150113	Red	\$5.89^{ea}
TL 150403	Red	\$38.99^{ea}
TL 263303	Red	\$4.39^{ea}
TL 192063	Red	\$3.99^{ea}
TL 42722	Red	\$7.59^{ea}

IDENTIFICATION BARS



- Features rugged stainless steel bar designed for limited mounting areas
- Lamps mounted on 6" centers
- Fits most narrow header rails
- Snap-lock tabs for easy installation



- Designed to fit applications requiring minimal space
- Stainless steel bar with three LED lamps on 6" centers
- Epoxy sealed to resist corrosion & moisture
- Less susceptible to shock & vibration



- Designed to fit applications requiring minimal space
- Slim 1" width is perfect for upper rail mounting
- Draws less current, allowing for more power for other vehicle requirements

Truck-Lite

TL 15741R3	Red	\$24.39^{ea}
TL 15050R	Red	\$38.89^{ea}
TL 35740R	Red	\$57.69^{ea}





INDUSTRIAL SUPPLIES

UTILITY LIGHTING



STYLUS PRO® PENLIGHT

- White LED delivers 100 lumens; 62m beam; runs 8 hours
- Push button tail switch
- Conveniently fits in your pocket
- IPX4 water-resistant
- 5.3" long and weighs just 1.64 oz.
- Includes two (2) AAA alkaline batteries
- Type II MIL-SPEC abrasion and corrosion-resistant anodized aircraft aluminum construction with unbreakable, scratch-resistant polycarbonate lens

SR66118	Black	\$31.59ea
SR66128	Orange	\$31.59ea

MICROSTREAM® POCKET LIGHT

- White LED delivers 45 lumens; 41m beam; runs 2.25 hours
- Push-button tail switch
- IPX4 water-resistant
- Ultra-compact 3.60" (91.5 mm) design fits in the palm of your hand
- Durable, anodized aircraft aluminum construction with unbreakable, scratch-resistant polycarbonate lens
- Includes one (1) AAA alkaline battery
- 3.6" long and weighs just 1.10 oz.

SR66318		\$26.99ea
---------	--	-----------

BANDIT® RECHARGEABLE LED HEADLAMP

- White LED with high (180 lumens / runs 2 hours), low (35 lumens / runs 9.5 hours), and emergency flash
- Produces bright, even, diffused light with less shadow
- IPX4 weather-resistant
- Weighs just 1.3 oz.
- USB-rechargeable battery charges in approximately 2.5 hours
- Indicator light blinks with about 5 minutes of run time remaining
- Includes visor clip, USB cord, and elastic head strap

SR61700		\$32.79ea
---------	--	-----------

BRASS BALL VALVES



- Full port
- Forged lead free BZR brass body
- Made in Italy
- NSF / ANSI / CAN 61 & 372 Certified
- UL / FM approved for fire protection
- CSA approved for natural gas
- Meets Buy America Act requirements
- 29in-HG vacuum service rated

AMVG102T1/4	1/4"	\$11.09ea
AMVG102T3/8	3/8"	\$11.09ea
AMVG102T1/2	1/2"	\$11.69ea
AMVG102T3/4	3/4"	\$16.29ea
AMVG102T1	1"	\$24.49ea
AMVG102T11/4	1-1/4"	\$34.89ea
AMVG102T11/2	1-1/2"	\$55.29ea
AMVG102T2	2"	\$78.59ea
AMVG102T21/2	2-1/2"	\$183.29ea
AMVG102T3	3"	\$267.09ea
AMVG102T4	4"	\$447.99ea

POWER-SEAL® CLAMPS



General purpose automotive and industrial clamps made with high strength 4-piece Quadra-Lock construction. Exceeds all SAE requirements.

BRZ62006	7/16"	through	25/35"	\$0.49ea
BRZ62010	9/16"	through	1-1/16"	\$0.49ea
BRZ62012	11/16"	through	1-1/4"	\$0.49ea
BRZ62016	13/16"	through	1-1/2"	\$0.49ea
BRZ62020	13/16"	through	1-3/4"	\$0.49ea
BRZ62024	1-1/16"	through	2"	\$0.49ea
BRZ62028	1-5/16"	through	2-1/4"	\$0.49ea
BRZ62032	1-9/16"	through	2-1/2"	\$0.49ea
BRZ62036	1-13/16"	through	2-3/4"	\$0.49ea

SQUEEGEE

- Will not scratch windows
- 8" head x 20" handle
- Nylon netting over poly sponge

BK8233012		\$7.99ea
-----------	--	----------

SQUEEGEE BUCKET

Steel mounting bracket, sturdy molded plastic

BK8272528		\$26.09ea
-----------	--	-----------

MOP HEADS



RAYON MOP HEAD

- 16 oz. professional mop head
- Ideal for damp mopping and waxing for instant absorbency

EL1111RAY16		\$10.89ea
-------------	--	-----------

COTTON MOP HEAD

- Size #24
- Cut-end wet mop

BWK2024CEA		\$9.39ea
------------	--	----------



EXTENSION CORDS



RETRACTABLE EXTENSION CORD

- Retractable cord reel with 30' of extension cord
- 3 separate grounded outlets
- LED status light on outlet bar
- 10amp rating
- Includes mounting brackets to attach the reel to the wall or ceiling

BYSL800	Heavy-Duty 16/3 Gauge, Triple-Tap, 30' Long	\$70.59ea
---------	---	-----------

STANDARD EXTENSION CORDS

- Lighted outlet so you know you have power
- Single male and single female outlet
- Rated at 15 amps

BYSL757L	12/3 Gauge, Single-Tap, 25' Long	\$42.89ea
BYSL758L	12/3 Gauge, Single-Tap, 50' Long	\$94.69ea
BYSL752L	14/3 Gauge, Single-Tap, 25' Long	\$35.99ea

COLD WEATHER EXTENSION CORDS

- Cold weather-rated to remain flexible
- Lighted outlet so you know you have power
- Cord jacket has increased resistance to oil and water
- Single male and single female outlet
- Rated at 15 amps

BYSL993	14/3 Gauge, Single-Tap, 25' Long	\$39.19ea
BYSL994	14/3 Gauge, Single-Tap, 50' Long	\$69.29ea
BYSL996	12/3 Gauge, Single-Tap, 25' Long	\$57.79ea
BYSL997	12/3 Gauge, Single-Tap, 50' Long	\$96.89ea
BYSL998	12/3 Gauge, Single-Tap, 100' Long	\$181.19ea

FUSEES

30 MINUTE SAFETY FUSEES

- 30 minute burn time
- Moisture resistant

LOG27300S	Spike Type, 4 OR MORE	\$3.89ea
LOG93400S	Wire Type, 4 OR MORE	\$3.59ea

FUSEE HOLDER

Heavy-duty emergency Fusee Holders are designed to hold 20 or 30 minute Fusees. Holders are constructed from heavy-duty polypropylene, with a handle and no roll design. Designed to hold 12 Fusees.

LOGTFCTS		\$52.29ea
----------	--	-----------

SAFETY WARNING TRIANGLE KIT

- Includes three triangles in a high-density plastic case
- Meets or exceeds all applicable DOT standard FMVSS 125 and all state and legal requirements

JAK1005KIT		\$35.29ea
------------	--	-----------

FAST ORANGE® HAND CLEANER

The #1 selling, biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, petroleum solvents or ammonia that can sting cuts and abrasions. Pure, fresh-smelling natural citrus power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners.

Smooth Formula gently deep cleans the toughest dirt. Works great on laundry stains, scuff marks, tile floors, pet odors and many other household cleaning needs.

Pumice Formula deep cleans the toughest dirt. Works great on scuff marks, tile floors, pet odors and many other household cleaning needs.



LOC23108	Smooth Formula, 7.5 oz.	\$2.19ea
LOC23218	Smooth Formula, 1 Gallon, 2 OR MORE	\$16.29ea
LOC25122	Pumice Formula, 15 oz.	\$3.19ea
LOC25219	Pumice Formula, 1 Gallon, 2 OR MORE	\$16.29ea

FAST ORANGE® XTREME CHERRY

A professional strength hand cleaner concentrated to tackle the toughest grease, while conditioning hands. This premium fine pumice lotion acts quickly to power out the harshest soils without leaving hands feeling greasy or irritated. Great for hard working hands, it contains a unique skin conditioning system that helps to restore moisture and prevent dry, chapped hands. Its light clean cherry scent is refreshing and contains no petroleum odors. No kerosene, no phosphates.


- Proven 10% greater cleaning power over original formula and other brands
- Advanced skin restoration conditioners protect hands against drying and cracking
- Odor eliminating technology neutralizes the smell of gasoline, oil, and other common odors

LOC25619	1 Gallon, 2 OR MORE	\$19.69ea
----------	---------------------	-----------


NYLON SLINGS

FLAT EYE AND EYE (EE) SLINGS

Commonly used for a bracket hitch, this type of sling has a loop (or eye) at each end. A choker hitch can be also made by passing one eye around the load and through the other eye to form a slip noose. Because it squeezes the load, a choker can often be used singly.



UNDERSTANDING NYLON SLING PART NUMBERS



PART NUMBER	WEB	LENGTH	PART NUMBER	WEB	LENGTH
INDEE2801X2	1"	2'	INDEE2803X4	3"	4'
INDEE2801X3	1"	3'	INDEE2803X6	3"	6'
INDEE2801X4	1"	4'	INDEE2803X8	3"	8'
INDEE2801X6	1"	6'	INDEE2803X10	3"	10'
INDEE2801X8	1"	8'	INDEE2803X12	3"	12'
INDEE2801X10	1"	10'	INDEE2803X16	3"	16'
INDEE2802X2	2"	2'	INDEE2804X4	4"	4'
INDEE2802X3	2"	3'	INDEE2804X6	4"	6'
INDEE2802X4	2"	4'	INDEE2804X8	4"	8'
INDEE2802X6	2"	6'	INDEE2804X10	4"	10'
INDEE2802X8	2"	8'	INDEE2804X16	4"	16'
INDEE2802X10	2"	10'	INDEE2804X20	4"	20'
INDEE2802X12	2"	12'	INDEE2804X24	4"	24'
INDEE2802X14	2"	14'			
INDEE2802X16	2"	16'			
INDEE2802X18	2"	18'			
INDEE2802X20	2"	20'			

INDEE2801X2	1" x 2'	\$10.39ea	INDEE2802X4	2" x 4'	\$17.39ea
INDEE2801X3	1" x 3'	\$11.69ea	INDEE2802X6	2" x 6'	\$20.59ea
INDEE2801X4	1" x 4'	\$13.19ea	INDEE2802X8	2" x 8'	\$22.89ea
INDEE2801X6	1" x 6'	\$15.19ea	INDEE2802X10	2" x 10'	\$26.99ea
INDEE2801X8	1" x 8'	\$17.39ea	INDEE2802X12	2" x 12'	\$37.09ea

DRILL BIT SETS



HEAVY DUTY 29 PC SET	1/16" thru 1/2" by 64ths	GBMHD29	\$89.59ea
COBALT 29 PC SET	1/16" thru 1/2" by 64ths	GBMCOB29	\$169.89ea
BLACK & GOLD 29 PC SET	1/16" thru 1/2" by 64ths	GBMHDC29	\$103.79ea
LEFT HAND 29 PC SET	1/16" thru 1/2" by 64ths	GBMLH29	\$179.59ea

SORBENT PADS



Universal Pads absorb oils, coolants, solvents, water and much more. Gray color disguises grime and unsightly spills.

Oil Only Pads absorb oil from water or on land, while repelling water. White color creates high-contrast when used with hydrocarbons and other oil-based liquids and fluids.

SPFDB75	Universal, 16" x 18", Gray	\$0.69ea
SPFZ75	Oil Only, 16" x 18", White	\$0.89ea

INDUSTRIAL BATTERIES

Worldwide, the Energizer® name is all about never stopping. We keep going...and going, this time putting the professional at the center of everything we do, literally empowering you to perform your very best, for your customers, every day – without stopping. That's Energizer Industrial®.



AA Battery, 1.5V

EVEEN91 **\$0.39ea**



9V Battery

EVEEN22 **\$1.69ea**



AAA Battery, 1.5V

EVEEN92 **\$0.39ea**



C Battery, 1.5V

EVEEN93 **\$0.89ea**



D Battery, 1.5V

EVEEN95 **\$1.39ea**





AIRBAGS

Firestone AIRIDE

Assembly Weight: 20.4 Lbs
Extended Height: 27.60"
Compressed Height: 6.20"
Top Plate Width: 9"
Piston Width: 10.25"

FIW013589367
\$207.59ea



Assembly Weight: 7.33 Lbs
Compressed Height: 3.12"
Top Plate Width: 6.31"
Piston Width: 6.31"

FIW013586897
\$122.19ea



Assembly Weight: 16.2 Lbs
Extended Height: 22.0"
Compressed Height: 7.60"
Top Plate Width: 9"
Piston Width: 10"

FIW013589373
\$142.49ea



TR-T BRAKE CHAMBERS

BREATHER TUBE TECHNOLOGY

- Heavy-duty nylon reinforced
- External breather tube seals out contamination
- Center hole shield prevents entry of contaminants
- Heavy-duty 8-gauge steel non-pressure chamber standard on Type 3030 and 3036 models



Ideal for tough applications:
Ready-mix cement trucks, dump trucks (end dumps, belly dumps, etc.), refuse, and other vehicles that typically operate in harsh, dusty environments

MGM3431051X	TR3030T, 2.50" Standard Stroke
MGM3431951X	TR3030T, 2.50" Standard Stroke
MGM3431952X	TR3030T, 2.50" Standard Stroke
MGM3532851X	TR3036TS with Neoprene Diaphragm, 2.50" Standard Stroke, Severe Service



MGM Brakes
A Division of Indian Head Industries, Inc.

\$129.49ea
\$147.09ea
\$149.59ea
\$288.09ea

HH-66 VINYL CEMENT

- Used for tarp repair, as well as repairing other various fabrics and materials
- Dries quickly with strong, flexible bond
- Not affected by weather and temperature extremes
- Highly resistant to oil, fuel, grease, and many other chemicals



RH Products Co., Inc.
Specialty Adhesives

RHPHH66CEMENT/QT 32 oz. **\$43.29ea**

3-WAY VALVE

- Pneumatic 3-way auto reset valve with integral knob
- Controls release of slider pins after parking brakes are fully applied
- 2 hole external mounting



HENDRICKSON

HDRV525223 **\$54.19ea**



AIR HORNS

HADLEY

RECTANGULAR BELL SINGLE AIR HORNS

The classic Hadley Rectangular Bell is the most widely recognized truck air horn in the world. The Hadley Rectangular Bell Horn offers the traditional "Hadley Sound", a crystal clear, characteristic note that can be heard for up to a mile.



HDYH00978	26", Steel with Chrome finish
HDYH00977	29", Steel with Chrome finish
HDYH00910HP	15.5", Plastic with Black finish

DUAL BULLY® HORN

The Hadley Bully Series Air Horn offers the traditional "Hadley Sound", a crystal clear, characteristic note that can be heard up to a mile away. This hallmark hi/lo tone comes from the exclusive sound chamber and the use of offset trumpets.



\$211.99ea
\$216.19ea
\$63.99ea

DONOVAN - TOUGH. RUGGED. RELIABLE.

COMPLETE TARP SYSTEMS

Donovan™ Tarp Systems manufactures well-built, reliable, and economical tarping systems specifically for the construction and waste industries. Made by the largest manufacturer of quality tarp and containment systems in the United States—Shur-Co®—Donovan™ brand tarp systems are a name you can trust.

- Double-folded hem
- Grommets every 4'
- 6" pocket
- Spline sewn into front hem
- 2" webbing sewn over side hems (standard on all HD mesh tarps)

SWAT MIGHTY MESH® REPLACEMENT TARP

Compatible with the following Donovan SWAT Automatic Roll Off Tarp Systems: 1809616, 1809617, 1809618, 1809619, 1809621, 1809622.

- Made from Mighty Mesh® material
- Side flaps
- Pre-installed bungee cord

DE 1801640 9' 8" x 28' **\$339.49ea**

DONOPRENE TARP

DE C27934 7' x 22' **\$336.89ea**

UNIVERSAL TARP MOTOR


- Five mounting holes - fits all competitor's mounting plates
- Extended output shaft - features two roller bar attachment hole to fit any brand tarp system



DE 1802061 **\$235.29ea**



Talk to your Outside Parts Sales representative for more information!



HEAVY DUTY MESH

Durable, lightweight 14oz. mesh material that provides good air circulation and secure containment. Featuring 2" webbing sewn over side hems.

DE 1801282	7' x 16'	\$100.89ea
DE 1801283	7' x 18'	\$115.99ea
DE 1801284	7' x 20'	\$126.09ea
DE 1801459	7' x 22'	\$139.49ea



MIGHTY MESH®

Made of the strongest tarp material available on the market. Ideal for the roughest jobs due to its durability. Higher tear resistance mesh with 50% more threads than the heavy duty mesh.


DE 1802139	7' x 20'	\$219.99ea
DE 1801686	8' x 28'	\$300.89ea
DE 1803789	9' x 28'	\$287.39ea



ASPHALT LUMITE

Perfect replacement for a variety of hauling purposes. They are lighter than vinyl materials and designed to handle heat up to 350°F.

DE 1800566 7' x 20' **\$139.49ea**



18 OZ VINYL

Made of a PVC-coated high-tenacity polyester material that will not rot, shrink, or stretch and offers unparalleled adhesion to reduce wind whip, color match, and colorfastness. Constructed with heat-welded seams in the main body of the cover for double thickness that creates a waterproof environment.

DE 1801609 9' x 20' **\$396.69ea**

US TARP, COVERING AMERICA



COMPLETE TARP SYSTEMS

for dump trucks, dump trailers, landscaping, refuse and more!



US Tarp carries a full line of complete tarp systems. Ready to use and easy to install. Tarpaulin systems are designed for the most rugged work environments on the planet.

Talk to your Outside Parts Sales representative for more information!

TARP MOTORS

US Tarp offers one of the best tarp motors available in the industry. Gearing ratios 50:1, 60:1 and 90:1 along with a universal 5 bolt mounting pattern gives their bulletproof tarp motors one of the most versatile designs available.

1 HP, 50:1 SLIM BULLETPROOF MOTOR

Slim Bulletproof Tarp Motor is the fastest of all bulletproof tarp motors. Recommended for use on dump trucks or trailers up to 28' in length.

UST13655 **\$257.49ea**



1 HP, 60:1 BULLETPROOF MOTOR

Bulletproof Tarp Motor is an all around tarp motor. It also has power to roll up mid size tarp systems. Recommended for tarp systems up to 35' in length.

UST13732 **\$273.89ea**



2 HP, 90:1 HD BULLETPROOF MOTOR

Heavy-Duty Bulletproof Tarp Motor is designed for maximum power output. Recommended for tarp systems up to 45' in length.

UST13957 **\$290.19ea**




HEAVY DUTY INDUSTRIAL TARPS



HEAVY DUTY BLACK MESH

PVC coated polyester recommended for rock, sand, or gravel. Available in black, blue, green, red and multi-color.



MONSTER MESH

Higher tear resistance mesh with 50% more threads than the heavy duty mesh. Available in multi-color.



ALMIGHTY MESH

Strongest mesh available. Available in black.



LENO-WEAVE MESH

Lighter weight mesh allowing for better air flow and reduced wind whip. Available in multi-color.



POLYESTER MESH

Light weight, strong, and will resist ripping. Used in colder climates for refuse hauling. Available in white.



ASPHALT LUMITE

Lightweight water resistant polypropylene fabric. Rated for temps up to 350°. Available in black.



14 OZ VINYL

Great general purpose waterproof asphalt fabric. Available in black.



18 OZ VINYL

The industry standard waterproof asphalt covering fabric. Available in 18oz and 22oz material. Available in black.



RFL COATED CANVAS

RFL coated tightly woven fabric. Rated up to 400° and stays flexible in cold water. Available in tan.



COATED AIR BAG


Nylon fabric with urethane coating on one-side. Lightweight and resists tears. Available in black.

VEHICLE CONSTRUCTION SIGNS

- 0.080 gauge aluminum
- Diamond grade
- Available in 2 sizes
- Reflective
- Easily seen

**CONSTRUCTION VEHICLE
KEEP ALERT FOR
SUDDEN STOPS AND TURNS**

USMMV1DIAMOND	36" W x 12" H	\$50.59ea
USMMV2DIAMOND	60" W x 24" H	\$131.99ea



SHOVELS

D-GRIP SQUARE POINT



STRAIGHT SQUARE POINT



AME42106	UnionTools	D-Grip, 28" Handle, 8.625" Head	\$17.49ea
AME1554500	Eagle	Straight, 46" Handle, 9" x 10.5" Head	\$11.39ea
AME42116	RAZORBACK	D-Grip, 30" Handle, 8.75" Head	\$31.09ea
AME44124	RAZORBACK	Straight, 48" Handle, 9.5" Head	\$30.99ea

D-GRIP ROUND POINT



STRAIGHT ROUND POINT



AME43106	UnionTools	D-Grip, 28" Handle, 8.5 x 11.5" Head	\$17.59ea
AME1554300	Eagle	Straight, 46" Handle, 8.25" x 11.5" Head	\$11.29ea
AME43205	RAZORBACK	D-Grip, 30" Handle, 8.75" Head	\$31.09ea
AME45519	RAZORBACK	Straight, 48" Handle, 8.75" Head	\$31.09ea

LED ILLUMINATED BUMPER GUIDES

- Epoxy sealed LED lights for protection against moisture
- Rubber re-enforced base protects wires from vibration
- Sheathed wires for corrosion protection
- Made of Type 304 Stainless Steel for ultimate corrosion resistance and superior finish
- Clamp or drill mount (based on bumper design)


848-210: Offset: 6"	848-211: Offset: 2.5"
Freightliner, 2012 - 2024 108SD / 114SD	Kenworth, 1970 - 1982 W900A
Mack, up to 2024 Granite (SBA / SFA)	Mack, any Year R Series, Superliner
Peterbilt, 1987 - 2024 357, 365, 367, 379, 388, 389, 567	Peterbilt, 1970 - 2024 357, 359, 359EXHD, 365, 367, 378, 379, 379EX, 388, 389, 567
Western Star, 2000 - 2024 4700FA, 4800FA, 4900FA, 4900EX, 49X, 47X	Western Star, 2000 - 2024 4700FA, 4900FA, 4900EX, Constellation, Heritage, Limited Edition 67

BOR848210	6" Offset, 48" high	\$137.19ea
BOR848211	2.5" Offset, 48" high	\$137.19ea



SHOVEL HOLDER

- Hold shovels or other round handled tools in place with heavy-duty spring mechanisms
- Keeps tools organized
- Mounts to side of truck for easy access
- Ideal for dump body applications
- Easily mounts with 4 large-diameter bolt holes



ALSO AVAILABLE IN BLACK POWDER COATED STEEL (BUYSH675S)



BUYSH675SS **\$42.59ea**

TAILGATE LATCH ASSEMBLIES

FORGED BRACKET & CLEVIS


- Weighs 10.3 lbs
- Used to provide a seal for dump body and dump trailer tailgates



BUYTGL3410ST	Forged Bracket & Clevis	\$52.49ea
BUYTGL3410	Aluminum Bracket & Clevis	\$57.39ea

ALUMINUM BRACKET & CLEVIS

- Weighs 6 lbs
- Used to provide a seal for dumpbody and dump trailer tailgates





SEASONAL SAVINGS

FAST FLAPS MUD FLAP BRACKETS

Releasable mud flap clamps ideal for dump trucks, cement mixers, roll-off trucks, garbage trucks, and trailers where accidentally backing over the mud flaps cause damage.

- Allows mud flaps to release free from clamps without causing damage to flaps, hanger, or rear fender
- All stainless steel, heat tempered to spring steel
- Standard 7" on center bolt pattern
- Minimum mud flap thickness to use is 1/4"
- A 10" screwdriver is all you need to insert mud flaps in the brackets
- One kit includes everything you need to mount 2 mud flaps



MIN10001563 **\$196.39ea**

RUBBER MUDFLAPS

STANDARD, 1/4" RUBBER

Chevron mud flaps

JAK2424S 24" x 24" 5lbs each **\$12.19ea**

JAK2430S 24" x 30" 6.5lbs each **\$14.19ea**

JAK2436S 24" x 36" 8lbs each **\$17.39ea**



HEAVY DUTY, 1/2" RUBBER

Anti sail / anti spray mud flaps

JAK2424HD 24" x 24" 9lbs each **\$16.59ea**

JAK2430HD 24" x 30" 11lbs each **\$22.79ea**

JAK2436HD 24" x 36" 13lbs each **\$25.39ea**



1/2" SOLID RUBBER

Dump truck mud flaps

JAK2440HDDT 24" x 40" 18lbs each **\$30.49ea**

JAK2442HDDT 24" x 42" 20lbs each **\$27.49ea**

THE ORIGINAL SHOP TOWEL

These utility shop towels are ideal for changing oil, refilling fluids and general, multi-purpose automotive maintenance. They are the multi-purpose shop towels that can help you get just about any job done right!



QUICK SPECS

Format: Roll
Sheet Size: 11" x 9.4"
Towels / Roll: 55
Rolls / Case: 30
Color: Blue

QUICK SPECS

Format: Pop-up box
Sheet Size: 9" x 12"
Towels / Box: 200
Boxes / Case: 8
Color: Blue

SCO75130 Roll, 4 OR MORE **\$3.39roll**

SCO75190 Pop-up Box, 2 OR MORE **\$14.79box**

RAGS IN A BOX

- Ideal for absorbing spills, wiping up grease and grime and cleaning up after messy projects
- 7X stronger when wet than the leading value brand kitchen paper towel
- Durable and work well, even when they're wet



QUICK SPECS

Format: Pop-up box
Sheet Size: 9" x 12"
Towels / Box: 200
Boxes / Case: 8
Color: White

SCO75260 Pop-up Box, 2 OR MORE **\$14.79box**

WORK GLOVES

DOUBLE PALM

- Green double leather palm
- Leather knuckle strap
- Wing thumb
- Full leather first finger, leather finger tips

SG1270PL Large **\$2.99pr**

SG1270PXL XLarge **\$2.99pr**



LEATHER PALM

- Leather palm
- Wing thumb construction
- 2.5" washable safety cuff
- Leather knuckle strap

SG1140L Large **\$3.19pr**

SG1140XL XLarge **\$3.19pr**



DOUBLE LEATHER PALM

- Split cowhide inside double palm
- Rubberized safety cuff
- Reinforced knuckle strap
- Welled seams on the middle fingers

SG1360IDOL Large **\$4.59pr**

SG1360IDOXL XLarge **\$4.59pr**

SG1360IDO2X 2XLarge **\$4.59pr**



SPLIT LEATHER PALM

- Leather palm w/wing thumb construction
- 2.5" rubberized safety cuff
- Leather knuckle strap

SG1160L Large **\$2.49pr**

SG1160XL XLarge **\$2.49pr**



TRACKER BAR SPRING KIT

FIND SIMILAR PRODUCT ON PAGE 1

- Stretches to 40" at 35lbs of pull force
- 2x stronger than competitors
- Great spring memory
- Quick change
- Durable nylon sleeve
- Keeps cables off deck plates



PHI17148 Heavy-Duty 20" Springs, w/Qwik-Snap™ **\$21.79ea**

PHI17420 Kit with dual 16" Springs, w/Qwik-Snap™ **\$37.19ea**

MOUNTING GROMMETS



- For 40 / 44 Series and 4" round lights
- Provides additional shock absorbcy



TL 40700P **\$1.49ea**

- For 60 Series and 6" oval lights
- Provides additional shock absorbcy



TL 60700P **\$1.89ea**

- For 30 Series and 2" round lights
- Provides additional shock absorbcy



TL 307003 **\$1.69ea**

- For 10 Series and 2.5" round lights
- Wide groove for panel thickness up to 2.5"



TL 107003 **\$1.69ea**

- For 10 Series and 2.5" round lights
- Designed for recess mounting



TL 107043 **\$1.79ea**

- For 33 Series and 0.75" round lights
- Assures a 99.9% leak-proof seal



TL 33700 **\$1.89ea**

FIND SIMILAR PRODUCT ON PAGES 8-9

OMEGA II HARD HATS

- 6-Point woven nylon suspension
- Accommodates 2-point chin strap
- Mega Ratchet® size adjustment for head sizes 6.5 - 8
- SEI Certified

ERB19951 White
ERB19952 Yellow
ERB19953 Orange
ERB19954 Red
ERB19956 Safety Blue
ERB19958 Safety Green



ANY COLOR, YOUR CHOICE
\$9.29ea

SAFETY FLAGS



BUNGEE

- 18" x 18"
- Built in heavy duty cords
- Flexible wetting
- Fray resistant

- Double needle stitched hemmed end
- Best flag for serious hauler



MSCFB300C Red Jersey **\$9.19ea**

MSCFB400CR Red Mesh **\$8.89ea**

MSCFB400C Fluorescent Orange Mesh **\$8.89ea**

GROMMET

- 18" x 18"
- Fray resistant
- Has two large #5 toothed grommets

- Reinforcement material at hemmed end
- Attach with bungees, rope, or flag-mags



MSCFG300C Red Jersey **\$6.69ea**

MSCFG400C Fluorescent Orange Mesh **\$6.59ea**

STAFF

- 18" x 18"
- Fray resistant
- Double needle stitched dowel pocket

- Comes with 3/4" x 30" dowel



MSCFS200C Red Cotton **\$5.79ea**

MSCFS300C Red Jersey **\$7.59ea**

MSCFS400C Fluorescent Orange Mesh **\$7.39ea**

WIRE LOOP

- 18" x 18"
- Fray resistant
- Double needle stitched
- Has 10-gauge steel wire with 1/2" loop in center

- Not recommended for over the road at highway speeds



MSCFW200C Red Cotton **\$4.69ea**

MSCFW300C Red Jersey **\$7.19ea**

MSCFW400C Fluorescent Orange Mesh **\$5.99ea**

LOAD MEASURING STICK



- EZ-Flip 4' horizontal bar pivots and locks into position
- 4 section fiberglass telescoping pole expands from 52.5" to 15'
- Easy to read english/metric scales
- Comes with convenient, durable storage bag
- Compact, portable, lightweight
- Thick rubber end caps



DON'T LET THIS HAPPEN TO YOU!

MSCLMS103 **\$250.19ea**



WABASH™



PA TRUCK CENTERS

Carlisle
Conshohocken
Ephrata
Kennett Square
Lebanon
Reading
Souderton
West Milton
Wrightsville

NJ TRUCK CENTERS

Pennsauken
Trenton
Vineland

DE TRUCK CENTERS

New Castle

MD TRUCK CENTERS

Delmar

PA PARTS STORES

Allentown
Clearfield
Johnstown
Milton
Nottingham
Telford
York



>> see commercial location details

